

Section 9.1

Bartholomew GA (1966). A field study of temperature relations in the Galápagos marine iguana. *Copeia* 1966: 241-250.

Bartholomew GA, Lasiewski RC (1965). Heating and cooling rates, heart rate and simulated diving in the Galapagos marine iguana. *Comparative Biochemistry and Physiology* 16: 573-582.

Clusella-Trullas S, van Wyk JH, Spotila JR (2009). Thermal benefits of melanism in cordylid lizards: a theoretical and field test. *Ecology* 90: 2297-2312.

Gehring WJ, Wehner R (1995). Heat shock protein synthesis and thermotolerance in *Cataglyphis*, an ant from the Sahara desert. *Proceedings of the National Academy of Sciences of the United States of America* 92: 2994-2998.

Goudkamp JE, Seebacher F, Ahern M, Franklin CE (2004). Physiological thermoregulation in a crustacean? Heart rate hysteresis in the freshwater crayfish *Cherax destructor*. *Comparative Biochemistry and Physiology Part A* 138: 399– 403.

Hochscheid S, Bentivegna F, Speakman JR (2004). Long-term cold acclimation leads to high Q₁₀ effects on oxygen consumption of loggerhead sea turtles *Caretta caretta*. *Physiological and Biochemical Zoology* 77: 209-222.

Krochmal AR, Bakken GS (2003). Thermoregulation is the pits: use of thermal radiation for retreat site selection by rattlesnakes. *The Journal of Experimental Biology* 206: 2539-2545.

Krochmal AR, Bakken GS, LaDuc TJ (2004). Heat in evolution's kitchen: evolutionary perspectives on the functions and origin of the facial pit of pitvipers (Viperidae: Crotalinae). *The Journal of Experimental Biology* 207: 4231-4238.

Marsh AC (1985). Thermal responses and temperature tolerance in a diurnal desert ant, *Ocymyrmex barbiger*. *Physiological Zoology* 58: 629-636.

Marsh AC (1985) Microclimatic factors influencing foraging patterns and success of the thermophilic desert ant, *Ocymyrmex barbiger*. *Insectes Sociaux, Paris* 32: 286-296.

Rutterford LA, Simpson SD, Jennings S, Johnson MP, Blanchard JL, Schön P-J, Sims DW, Tinker J, Genner MJ (2015). Future fish distributions constrained by depth in warming seas. *Nature climate change* 5: 569-573.

Schultheiss P, Nooten SS (2013). Foraging patterns and strategies in an Australian desert ant. *Austral Ecology* 38: 942-951.

Seebacher F, Franklin CE (2007). Redistribution of blood within the body is important for thermoregulation in an ectothermic vertebrate (*Crocodylus porosus*). *Journal of Comparative Physiology B* 177: 841-848.

Seebacher F, Murray SA (2007). Transient receptor potential ion channels control thermoregulatory behaviour in reptiles. *PLoS One* 3: 1-7 e281

Seebacher F, Grigg GC, Beard LA (1999). Crocodiles as dinosaurs: behavioural thermoregulation in very large ectotherms leads to high and stable body temperatures. *The Journal of Experimental Biology* 202: 77-86.

Sommer S, Wehner R (2012). Leg allometry in ants: Extreme long-leggedness in thermophilic species. *Arthropod Structure & Development* 41: 71-77.

Tattersall GJ, Eterovick, PC, de Andrade, DV (2006). Tribute to R. G. Boutilier: Skin colour and body temperature changes in basking *Bokermannohyla alvarengai* (Bokermann 1956). *The Journal of Experimental Biology* 209: 1185-1196.

Walton BM, Bennett AF (1993). Temperature-dependent color change in Kenyan chameleons. *Physiological Zoology* 66: 270-287.

Wehner R, Wehner S (2011). Parallel evolution of thermophilia: daily and seasonal foraging patterns of heat-adapted desert ants: *Cataglyphis* and *Ocymyrmex* species. *Physiological Entomology* 36: 271-281.

Section 9.2

Bradshaw WE, Holzapfel CM (2001). Genetic shift in photoperiod response correlated with global warming. *Proceedings of the National Academy of Sciences of the United States of America* 98: 14509-14511.

Chen L, de Vries AL, Cheng C-H C (1997). Convergent evolution of antifreeze glycoproteins in Antarctic notothenioid fish and Arctic cod. *Proceedings of the National Academy of Sciences of the United States of America* 94: 3817-3822.

Constanzo JP, Dinkelacker SA, Iverson JB, Lee RE Jr (2004). Physiological ecology of overwintering in the hatchling painted turtle: multiple-scale variation in response to environmental stress. *Physiological and Biochemical Zoology* 77: 74-99.

Driedzic WR, Clow KA, Short CE, Ewart KV (2006). Glycerol production in rainbow smelt (*Osmerus mordax*) may be triggered by low temperature alone and is associated with the

activation of glycerol-3-phosphate dehydrogenase and glycerol-3-phosphatase. *The Journal of Experimental Biology* 209: 1016-1023.

Duman JG, Bennett V, Sformo T, Hochstrasser R, Barnes BM (2004). Antifreeze proteins in Alaskan insects and spiders. *Journal of Insect Physiology* 50: 259-266.

Hochscheid S, Bentivegna F, Speakman JR (2004). Long-term cold acclimation leads to high Q_{10} effects on oxygen consumption of loggerhead sea turtles *Caretta caretta*. *Physiological and Biochemical Zoology* 77: 209-222.

Mugnano JA, Lee Jr. RE, Taylor RT (1996). Fat body cells and calcium phosphate spherules induce ice nucleation in the freeze-tolerant larvae of the gall fly *Eurosta solidaginis* (Diptera, Tephritidae). *Journal of Experimental Biology* 199: 465-471.

Raymond MR, Wharton DA (2016). The ability to survive intracellular freezing in nematodes is related to the pattern and distribution of ice formed. *The Journal of Experimental Biology* 219: 2060-2065.

Scott GK, Davies PL, Kao MH, Fletcher GL (1988). Differential amplification of antifreeze protein genes in the Pleuronectinae. *The Journal of Molecular Evolution* 27: 29-35.

Storey KB (2004). Strategies for exploration of freeze responsive gene expression: advances in vertebrate freeze tolerance. *Cryobiology* 48: 134-145.

Wharton DA, Ferns DJ (1995). Survival of intracellular freezing by the Antarctic nematode *Panagrolaimus davidi*. *The Journal of Experimental Biology* 198: 1381-1387.

Wharton DA, Goodall G, Marshall CJ (2003). Freezing survival and cryoprotective dehydration as cold tolerance mechanisms in the Antarctic nematode *Panagrolaimus davidi*. *The Journal of Experimental Biology* 206: 215-221.

Xiao H-J, Mou F-C, Zhu X-F, Xue F-S (2010). Diapause induction, maintenance and termination in the rice stem borer *Chilo suppressalis* (Walker). *Journal of Insect Physiology* 56: 1558-1564.

Section 9.3

Braby CE, Somero GN (2006). Following the heart: temperature and salinity effects on heart rate in native and invasive species of blue mussels (genus *Mytilus*). *Journal of Experimental Biology* 209: 2554-2566.

Chen Z, Cheng C-H C, Zhang J, Cao L, Chen L, Zhou L, Jin Y, Ye H, Deng C, Dai Z, Xu Q, Hu P, Sun S, Shen Y, Chen L (2008). Transcriptomic and genomic evolution under constant cold in

Antarctic notothenioid fish. Proceedings of the National Academy of Sciences of the United States of America 105: 12944-12949.

Fields PA, Somero GN (1998). Hot spots in cold adaptation. Localized increases in conformational flexibility in lactate dehydrogenase A₄ orthologs of Antarctic notothenioid fishes. Proceedings of the National Academy of Sciences of the United States of America 95: 11476-11481.

Frederich M, Pörtner HO (2000). Oxygen limitation of thermal tolerance defined by cardiac and ventilatory performance in spider crab, *Maja squinado*. American Journal of Physiology Regulatory Integrative & Comparative Physiology 279: R1531-1538.

Graves JE, Somero GN (1982). Electrophoretic and functional enzyme evolution in four species of eastern Pacific barracudas from different thermal environments. Evolution 36: 97-106.

Holland LZ, McFall-Ngai M, Somero GN (1997). Evolution of lactate dehydrogenase-A homologs of barracuda fishes (genus *Sphyræna*) from different thermal environments: differences in kinetic properties and thermal stability are due to amino acid substitutions outside the active site. Biochemistry 36: 3207-3215.

Johnson IA, Calvo J, Guderley H, Fernandez D, Palmer L (1998). Latitudinal variation in the abundance and oxidative capacities of muscle mitochondria in perciform fishes. The Journal of Experimental Biology 201: 1-12.

Lee RE Jr., Damodaran K, Yi S-X, Lorigan GA (2006). Rapid-cold hardening increases membrane fluidity and cold tolerance of insect cells. Cryobiology 52: 459-463.

Logue JA, de Vries AL, Fodor E, Cossins AR (2000). Lipid compositional correlates of temperature-adaptive interspecific differences in membrane physical structure. The Journal of Experimental Biology. 203: 2105-2115.

Pörtner HO, Knust R (2007). Climate change affects marine fishes through the oxygen limitation of thermal tolerance. Science 315: 95-97.

Snyder RJ, Hennessey TM (2003). Cold tolerance and homeoviscous adaptation in freshwater alewives (*Alosa pseudoharengus*). Fish Physiology and Biochemistry 29: 117-126.

Tomanek L, Somero GN (2002). Interspecific- and acclimation-induced variation in levels of heat-shock proteins 70 (hsp70) and 90 (hsp90) and heat-shock transcription factor-1 (HSF1) in congeneric marine snails (genus *Tegula*): implications for regulation of *hsp* gene expression. Journal of Experimental Biology 205:677-685.

Tiku PE, Gracey AY, Macartney AI, Beynon RJ, Cossins AR (1996). Cold-induced expression of Δ^9 -desaturase in carp by transcriptional and posttranslational mechanisms. Science 271: 815-818.

White CR, Alton LA, Frappell PB (2012). Metabolic cold adaptation in fishes occurs at the level of whole animal, mitochondria and enzyme. *Proceedings of the Royal Society B. Biological Sciences* 279: 1740-1747.

Williams EE, Somero GN(1996). Seasonal- tidal-cycle and microhabitat-related variation in membrane order of phospholipid vesicles from gills of the intertidal mussel *Mytilus californianus*. *The Journal of Experimental Biology* 199: 1587-1596.