

Principles of Animal Communication, Second Edition
Jack W. Bradbury and Sandra L. Vehrencamp

Chapter 6: Chemical Signals

Literature Cited

- 1 Abraham, N. M., V. Egger, D. R. Shimshek, R. Renden, I. Fukunaga, R. Sprengel, P. H. Seeburg, M. Klugmann, T. W. Margrie, A. T. Schaefer, and T. Kuner. 2010. Synaptic inhibition in the olfactory bulb accelerates odor discrimination in mice. *Neuron* 65: 399–411.
- 2 Ache, B. W. 1988. Integration of chemosensory information in aquatic invertebrates. In *Sensory Biology of Aquatic Animals* (J. Atema, R. R. Fay, A. N. Popper, and W. N. Tavolga, eds.), pp. 387–402. New York, NY: Springer-Verlag.
- 3 Ache, B. W. 1991. Phylogeny of smell and taste. In *Smell and Taste in Health and Disease* (T. V. Getchell, R. L. Doty, L. M. Bartoshuk, and J. B. Snow, eds.), pp. 3–18. New York: Raven Press.
- 4 Ache, B. W. and J. M. Young. 2005. Olfaction: Diverse species, conserved principles. *Neuron* 48: 417–430.
- 5 Alberts, A. C. 1992. Constraints on the design of chemical communication systems in terrestrial vertebrates. *American Naturalist* 139: S62–S89.
- 6 Alberts, A. C. 1993. Chemical and behavioral studies of femoral gland secretions in iguanid lizards. *Brain Behavior and Evolution* 41: 255–260.
- 7 Albone, E. S., P. E. Gosden, and G. C. Ware. 1977. Bacteria as a source of chemical signals in mammals. In *Chemical Signals in Vertebrates* (D. Müller-Schwarze and M. M. Mozell, eds.), pp. 35–44. New York: Plenum Press.
- 8 Albone, E. S. 1984. *Mammalian Semiochemistry*. New York: John Wiley.
- 9 Alvarez-Buylla, A. and J. M. Garcia-Verdugo. 2002. Neurogenesis in adult subventricular zone. *Journal of Neuroscience* 22: 629–634.
- 10 Appelt, C. W. and P. W. Sorensen. 1997. Freshwater fish release urinary pheromones in a pulsatile manner. In *Advances in Chemical Signals in Vertebrates* (R. E. Johnston, D. Müller-Schwarze, and P. W. Sorensen, eds.), pp. 247–256. New York: Kluwer Academic/Plenum Publishers.
- 11 Araneda, R. C., A. D. Kini, and S. Firestein. 2000. The molecular receptive range of an odorant receptor. *Nature Neuroscience* 3: 1248–1255.

- 12 Armstrong, S. D., D. H. L. Robertson, S. A. Cheetham, J. L. Hurst, and R. J. Beynon. 2005. Structural and functional differences in isoforms of mouse major urinary proteins: a male-specific protein that preferentially binds a male pheromone. *Biochemical Journal* 391: 343–350.
- 13 Atema, J. 1986. Review of sexual selection and chemical communication in the lobster, *Homarus americanus*. *Canadian Journal of Fisheries and Aquatic Sciences* 43: 2283–2390.
- 14 Atema, J. 1988. Distribution of chemical stimuli. In *Sensory Biology of Aquatic Animals* (J. Atema, A. N. Popper, R. R. Fay, and W. N. Tavolga, eds.), pp. 29–56. Heidelberg: Springer-Verlag.
- 15 Atema, J. 1995. Chemical signals in the marine environment - dispersal, detection, and temporal signal analysis. *Proceedings of the National Academy of Sciences of the United States of America* 92: 62–66.
- 16 Atema, J. 1998. Tracking turbulence: Processing the bimodal signals that define an odor plume. *Biological Bulletin* 195: 179–180.
- 17 Atema, J., M. J. Kingsford, and G. Gerlach. 2002. Larval reef fish could use odour for detection, retention and orientation to reefs. *Marine Ecology-Progress Series* 241: 151–160.
- 18 Aylor, D. E. 1976. Estimating peak concentrations of pheromones in the forest. In *Perspectives in Forest Entomology* (J. F. Anderson and H. K. Kaya, eds.), pp. 177–188. New York: Academic Press.
- 19 Bagøien, E. and T. Kiørboe. 2005. Blind dating - mate finding in planktonic copepods. I. Tracking the pheromone trail of *Centropages typicus*. *Marine Ecology-Progress Series* 300: 105–115.
- 20 Baker, T. C. and R. T. Carde. 1979. Courtship behavior of the Oriental fruit moth (*Grapholitha molesta*) (Lepidoptera-Tortricidae) - Experimental analysis and consideration of the role of sexual selection in the evolution of courtship pheromones in the Lepidoptera. *Annals of the Entomological Society of America* 72: 173–188.
- 21 Baker, T. C., S. A. Ochieng, A. A. Cosse, S. G. Lee, J. L. Todd, C. Quero, and N. J. Vickers. 2004. A comparison of responses from olfactory receptor neurons of *Heliothis subflexa* and *Heliothis virescens* to components of their sex pheromone. *Journal of Comparative Physiology A-Neuroethology Sensory Neural and Behavioral Physiology* 190: 155–165.

- 22 Balkovsky, E. and B. I. Shraiman. 2002. Olfactory search at high Reynolds number. *Proceedings of the National Academy of Sciences of the United States of America* 99: 12589–12593.
- 23 Balthazart, J. and M. Taziaux. 2009. The underestimated role of olfaction in avian reproduction? *Behavioural Brain Research* 200: 248–259.
- 24 Bargmann, C. I. 2006. Comparative chemosensation from receptors to ecology. *Nature* 444: 295–301.
- 25 Barlow, G. W. 1974. Contrasts in social behavior between Central American cichlid fishes and coral reef surgeon fishes. *American Zoologist* 14: 9–34.
- 26 Baxi, K. N., K. M. Dorries, and H. L. Eisthen. 2006. Is the vomeronasal system really specialized for detecting pheromones? *Trends in Neurosciences* 29: 1–7.
- 27 Beeler, A. E., C. M. Rauter, and A. J. Moore. 1999. Pheromonally mediated mate attraction by males of the burying beetle *Nicrophorus orbicollis*: alternative calling tactics conditional on both intrinsic and extrinsic factors. *Behavioral Ecology* 10: 578–584.
- 28 Belanger, J. H. and E. A. Arbas. 1998. Behavioral strategies underlying pheromone-modulated flight in moths: lessons from simulation studies. *Journal of Comparative Physiology A-Neuroethology Sensory Neural and Behavioral Physiology* 183: 345–360.
- 29 Bembe, B. 2004. Functional morphology in male euglossine bees and their ability to spray fragrances (Hymenoptera, Apidae, Euglossini). *Apidologie* 35: 283–291.
- 30 Bennett, N. C., J. U. M. Jarvis, R. P. Millar, H. Sasano, and K. V. Ntshinga. 1994. Reproductive suppression in eusocial *Cryptomys damarensis* colonies - Socially-induced infertility in females. *Journal of Zoology* 233: 617–630.
- 31 Beynon, R. J., C. Veggerby, C. E. Payne, D. H. L. Robertson, S. J. Gaskell, R. E. Humphries, and J. L. Hurst. 2002. Polymorphism in major urinary proteins: Molecular heterogeneity in a wild mouse population. *Journal of Chemical Ecology* 28: 1429–1446.
- 32 Beynon, R. J. and J. L. Hurst. 2003. Multiple roles of major urinary proteins in the house mouse, *Mus domesticus*. *Biochemical Society Transactions* 31: 142–146.
- 33 Beynon, R. J. and J. L. Hurst. 2004. Urinary proteins and the modulation of chemical scents in mice and rats. *Peptides* 25: 1553–1563.

- 34 Beynon, R. L., J. L. Hurst, M. J. Turton, D. H. L. Robertson, S. D. Armstrong, S. A. Cheetham, D. M. Simpson, A. MacNicoll, and R. E. Humphries. 2008. Urinary lipocalins in rodenta: is there a generic model? In *Chemical Signals in Vertebrates, Vol. 11* (J. L. Hurst, R. L. Beynon, S. C. Roberts, and T. D. Wyatt, eds.), pp. 37–50. New York: Springer.
- 35 Bezzerides, A., T. H. Yong, J. Bezzerides, J. Husseini, J. Ladau, M. Eisner, and T. Eisner. 2004. Plant-derived pyrrolizidine alkaloid protects eggs of a moth (*Utetheisa ornatrix*) against a parasitoid wasp (*Trichogramma ostrinae*). *Proceedings of the National Academy of Sciences of the United States of America* 101: 9029–9032.
- 36 Billen, J., B. Thijs, F. Ito, and B. Gobin. 2005. The pretarsal footprint gland of the ant *Amblyopone reclinata* (Hymenoptera, Formicidae) and its role in nestmate recruitment. *Arthropod Structure and Development* 34: 111–116.
- 37 Birch, M. C., G. M. Poppy, and T. C. Baker. 1990. Scents and eversible scent structures of male moths. *Annual Review of Entomology* 35: 25–58.
- 38 Bloss, J., T. E. Acree, J. M. Bloss, W. R. Hood, and T. H. Kunz. 2002. Potential use of chemical cues for colony-mate recognition in the big brown bat, *Eptesicus fuscus*. *Journal of Chemical Ecology* 28: 819–834.
- 39 Bonadonna, F., S. P. Caro, and M. D. Brooke. 2009. Olfactory Sex Recognition Investigated in Antarctic Prions. *Plos One* 4: 3.
- 40 Boomsma, J. J., J. Nielsen, L. Sundstrom, N. J. Oldham, J. Tentschert, H. C. Petersen, and E. D. Morgan. 2003. Informational constraints on optimal sex allocation in ants. *Proceedings of the National Academy of Sciences of the United States of America* 100: 8799–8804.
- 41 Booth, W. D. 1987. Factors affecting the pheromone composition of voided boar saliva. *Journal of Reproduction and Fertility* 81: 427–431.
- 42 Booth, W. D. and K. I. Vonglos. 1991. Pheromaxein, the pheromonal steroid-binding protein, is a major protein synthesized in porcine submaxillary salivary glands. *Journal of Endocrinology* 128: 205–212.
- 43 Bossert, W. H. and E. O. Wilson. 1963. Analysis of olfactory communication among animals. *Journal of Theoretical Biology* 5: 443–469.
- 44 Bot, A. N. M., D. Ortius-Lechner, K. Finster, R. Maile, and J. J. Boomsma. 2002. Variable sensitivity of fungi and bacteria to compounds produced by the metapleural glands of leaf-cutting ants. *Insectes Sociaux* 49: 363–370.

- 45 Boudko, D. Y., M. Switzer-Dunlap, and M. G. Hadfield. 1999. Cellular and subcellular structure of anterior sensory pathways in *Phestilla sibogae* (Gastropoda, Nudibranchia). *Journal of Comparative Neurology* 403: 39–52.
- 46 Bowyer, R. T., V. Vanballenberghe, and K. R. Rock. 1994. Scent marking by Alaskan moose - characteristics and spatial distribution of rubbed trees. *Canadian Journal of Zoology-Revue Canadienne De Zoologie* 72: 2186–2192.
- 47 Bowyer, R. T., X. Manteca, and A. Hoymork. 1998. Scent marking in American bison: Morphological and spatial characteristics of wallows and rubbed trees. In *International Symposium on Bison Ecology and Management in North America* (L. R. Irby and J. E. Knight, eds.), pp. 81–91. Bozeman, MT: Montana State University.
- 48 Bozza, T. C. and P. Mombaerts. 2001. Olfactory coding: Revealing intrinsic representations. *Current Biology* 11: R687–R690.
- 49 Bradshaw, J. W. S., R. Baker, and P. E. Howse. 1975. Multicomponent alarm pheromones of weaver ant. *Nature* 258: 230–231.
- 50 Brennan, P. A. and E. B. Keverne. 2003. The vomeronasal organ. In *Handbook of Olfaction and Gustation* (R. L. Doty, ed.), pp. 967–979. New York: Marcel Dekker, Inc.
- 51 Brennan, P. A. and K. M. Kendrick. 2006. Mammalian social odours: attraction and individual recognition. *Philosophical Transactions of the Royal Society B-Biological Sciences* 361: 2061–2078.
- 52 Brennan, P. A. and F. Zufall. 2006. Pheromonal communication in vertebrates. *Nature* 444: 308–315.
- 53 Bretman, A., M. K. N. Lawniczak, J. Boone, and T. Chapman. 2010. A mating plug protein reduces early female remating in *Drosophila melanogaster*. *Journal of Insect Physiology* 56: 107–113.
- 54 Briand, L., J. C. Huet, V. Perez, C. Lenoir, C. Nespoulous, Y. Boucher, D. Trotier, and J. C. Pernollet. 2000. Odorant and pheromone binding by aphrodisin, a hamster aphrodisiac protein. *Febs Letters* 476: 179–185.
- 55 Briand, L., D. Trotier, and J. C. Pernollet. 2004. Aphrodisin, an aphrodisiac lipocalin secreted in hamster vaginal secretions. *Peptides* 25: 1545–1552.
- 56 Brown, R. E. and D. W. Macdonald. 1985. *Social Odours in Mammals*. Oxford: Clarendon Press.

- 57 Buck, L. and R. Axel. 1991. A novel multigene family may encode odorant receptors - a molecular basis for odor recognition. *Cell* 65: 175–187.
- 58 Buck, L. B. 1996. Information coding in the vertebrate olfactory system. *Annual Review of Neuroscience* 19: 517–544.
- 59 Burgener, N., M. Dehnhard, H. Hofer, and M. L. East. 2009. Does anal gland scent signal identity in the spotted hyaena? *Animal Behaviour* 77: 707–715.
- 60 Buschinger, A. and U. Maschwitz. 1984. Defensive behavior and defensive mechanisms in ants. In *Defensive Mechanisms in Social Insects* (H. R. Hermann, ed.), pp. 95–150. New York: Praeger.
- 61 Buzzell, G. R. 1996. The Harderian gland: Perspectives. *Microscopy Research and Technique* 34: 2–5.
- 62 Cameron, S. A. 2004. Phylogeny and biology of neotropical orchid bees (Euglossini). *Annual Review of Entomology* 49: 377–404.
- 63 Cardé, R. T. 1996. Odour plumes and odour-mediated flight in insects. In *Olfaction in Mosquito-Host Interactions* (G. R. Bock and G. Cardew, eds.), pp. 54–70. Chichester: John Wiley & Sons Ltd.
- 64 Cardé, R. T. and K. F. Haynes. 2004. Structure of the pheromone communication channel in moths. In *Advances in Insect Chemical Ecology* (R. T. Cardé and J. G. Millar, eds.), pp. 283–332. Cambridge, UK: Cambridge University Press.
- 65 Cardé, R. T. and M. A. Willis. 2008. Navigational strategies used by insects to find distant, wind-borne sources of odor. *Journal of Chemical Ecology* 34: 854–866.
- 66 Carleton, A., L. T. Petreanu, R. Lansford, A. Alvarez-Buylla, and P. M. Lledo. 2003. Becoming a new neuron in the adult olfactory bulb. *Nature Neuroscience* 6: 507–518.
- 67 Carr, W. E. S. 1988. The molecular nature of chemical stimuli in the aquatic environment. In *Sensory Biology of Aquatic Animals* (J. Atema, R. R. Fay, A. N. Popper, and W. N. Tavolga, eds.), pp. 3–28. New York: Springer-Verlag.
- 68 Catania, K. C. 2006. Olfaction - Underwater 'sniffing' by semi-aquatic mammals. *Nature* 444: 1024–1025.
- 69 Cavaggioni, A., C. Mucignat-Caretta, M. Redaelli, and G. Zagotto. 2006. The scent of urine spots of male mice, *Mus musculus*: changes in chemical composition over time. *Rapid Communications in Mass Spectrometry* 20: 3741–3746.

- 70 Chandrashekar, J., M. A. Hoon, N. J. P. Ryba, and C. S. Zuker. 2006. The receptors and cells for mammalian taste. *Nature* 444: 288–294.
- 71 Chapman, R. F. 1998. *The Insects: structure and function*. Cambridge: Cambridge University Press.
- 72 Charles-Dominique, P. 1977. Urine marking and territoriality in *Galago alleni* (Waterhouse, 1837-Lorisoidea, Primates) - Field study by radio-telemetry. *Zeitschrift Fur Tierpsychologie-Journal of Comparative Ethology* 43: 113–138.
- 73 Charlton, R. E., F. X. Webster, A. J. Zhang, C. Schal, D. S. Liang, I. Sreng, and W. L. Roelofs. 1993. Sex pheromone for the brownbanded cockroach is an unusual dialkyl-substituted alpha-pyrone. *Proceedings of the National Academy of Sciences of the United States of America* 90: 10202–10205.
- 74 Cheetham, S. A., M. D. Thom, F. Jury, W. E. R. Ollier, R. J. Beynon, and J. L. Hurst. 2007. The genetic basis of individual-recognition signals in the mouse. *Current Biology* 17: 1771–1777.
- 75 Chong, K., T. S. Ying, J. Foo, L. T. Jin, and A. Chong. 2005. Characterisation of proteins in epidermal mucus of discus fish (*Symphysodon* spp.) during parental phase. *Aquaculture* 249: 469–476.
- 76 Christensen, T. A. and J. White. 2000. Representation of olfactory information in the brain. In *The Neurobiology of Taste and Smell* (T. E. Finger, W. L. Silver, and D. Restrepo, eds.), pp. 201–232. New York: Wiley-Liss.
- 77 Christensen, T. A. and J. G. Hildebrand. 2002. Pheromonal and host-odor processing in the insect antennal lobe: how different? *Current Opinion in Neurobiology* 12: 393–399.
- 78 Clapperton, B. K., E. O. Minot, and D. R. Crump. 1988. An olfactory recognition system in the ferret *Mustela furo* L (Carnivora, Mustelidae). *Animal Behaviour* 36: 541–553.
- 79 Clare, A. S. and K. Matsumura. 2000. Nature and perception of barnacle settlement pheromones. *Biofouling* 15: 57–71.
- 80 Clark, M. M. and B. G. Galef. 2001. Socially induced infertility: familial effects on reproductive development of female Mongolian gerbils. *Animal Behaviour* 62: 897–903.
- 81 Clyne, P. J., C. G. Warr, M. R. Freeman, D. Lessing, J. H. Kim, and J. R. Carlson. 1999. A novel family of divergent seven-transmembrane proteins: Candidate odorant receptors in *Drosophila*. *Neuron* 22: 327–338.

- 82** Colonello, N. A. and K. Hartfelder. 2005. She's my girl - male accessory gland products and their function in the reproductive biology of social bees. *Apidologie* 36: 231–244.
- 83** Cook, A. 1992. The function of trail following in the pulmonate slug, *Limax pseudoflavus*. *Animal Behaviour* 43: 813–821.
- 84** Cooper, W. E. and L. J. Vitt. 1986. Tracking of female conspecific odor trails by male broad-headed skinks (*Eumeces laticeps*). *Ethology* 71: 242–248.
- 85** Craven, B. A., E. G. Paterson, and G. S. Settles. 2010. The fluid dynamics of canine olfaction: unique nasal airflow patterns as an explanation of macrosmia. *Journal of the Royal Society Interface* 7: 933–943.
- 86** Cribb, B. W., K. N. Siriwardana, and G. H. Walter. 2006. Unicellular pheromone glands of the pentatomid bug *Nezara viridula* (Heteroptera : Insecta): Ultrastructure, classification, and proposed function. *Journal of Morphology* 267: 831–840.
- 87** Csanady, G. T. 1973. *Turbulent diffusion in the environment*. Dordrecht: Reidel.
- 88** Cunningham, A. M., P. B. Manis, R. R. Reed, and G. V. Ronnett. 1999. Olfactory receptor neurons exist as distinct subclasses of immature and mature cells in primary culture. *Neuroscience* 93: 1301–1312.
- 89** D'Ettorre, P. and J. Heinze. 2005. Individual recognition in ant queens. *Current Biology* 15: 2170–2174.
- 90** D'Have, H., J. Scheirs, R. Verhagen, and W. De Coen. 2005. Gender, age and seasonal dependent self-anointing in the European hedgehog *Erinaceus europaeus*. *Acta Theriologica* 50: 167–173.
- 91** D'Innocenzo, B., A. M. Salzano, C. D'Ambrosio, A. Gazzano, A. Niccolini, C. Sorce, F. R. Dani, A. Scaloni, and P. Pelosi. 2006. Secretory proteins as potential semiochemical carriers in the horse. *Biochemistry* 45: 13418–13428.
- 92** David, C. T., J. S. Kennedy, A. R. Ludlow, J. N. Perry, and C. Wall. 1982. A reappraisal of insect flight towards a distant point source of wind-borne odor. *Journal of Chemical Ecology* 8: 1207–1215.
- 93** David, C. T., J. S. Kennedy, and A. R. Ludlow. 1983. Finding of a sex pheromone source by gypsy moths released in the field. *Nature* 303: 804–806.
- 94** de Bruyne, M. and T. C. Baker. 2008. Odor detection in insects: Volatile codes. *Journal of Chemical Ecology* 34: 882–897.

- 95** Dean, J., D. J. Aneshansley, H. E. Edgerton, and T. Eisner. 1990. Defensive spray of the bombardier beetle - a biological pulse jet. *Science* 248: 1219–1221.
- 96** del Campo, M. L., S. R. Smedley, and T. Eisner. 2005. Reproductive benefits derived from defensive plant alkaloid possession in an arctiid moth (*Utetheisa ornatrix*). *Proceedings of the National Academy of Sciences of the United States of America* 102: 13508–13512.
- 97** Delisle, J. and L. Royer. 1994. Changes in pheromone titer of oblique-banded leafroller, *Choristoneura Rosaceana*, virgin females as a function of time of day, age, and temperature. *Journal of Chemical Ecology* 20: 45–69.
- 98** Delisle, J., J. F. Picimbon, and J. Simard. 1999. Physiological control of pheromone production in *Choristoneura fumiferana* and *C. rosaceana*. *Archives of Insect Biochemistry and Physiology* 42: 253–265.
- 99** Denis, D., R. Blatrix, and D. Fresneau. 2006. How an ant manages to display individual and colonial signals by using the same channel. *Journal of Chemical Ecology* 32: 1647–1661.
- 100** Denny, M. W. 1993. *Air and Water: the Biology and Physics of Life's Media*. Princeton, NJ: Princeton University Press.
- 101** Dethier, V. G. 1987. Sniff, flick, and pulse, an appreciation of interruption. *Proceedings of the American Philosophical Society* 131: 159–174.
- 102** Dillon, R. J., C. T. Vennard, and A. K. Charnley. 2000. Pheromones - Exploitation of gut bacteria in the locust. *Nature* 403: 851–851.
- 103** Doall, M. H., S. P. Colin, J. R. Strickler, and J. Yen. 1998. Locating a mate in 3D: the case of *Temora longicornis*. *Philosophical Transactions of the Royal Society of London Series B-Biological Sciences* 353: 681–689.
- 104** Dorries, K. M., E. Adkins-Regan, and B. P. Halpern. 1997. Sensitivity and behavioral responses to the pheromone androstenone are not mediated by the vomeronasal organ in domestic pigs. *Brain Behavior and Evolution* 49: 53–62.
- 105** Døving, K. B., D. Trotier, J. F. Rosin, and A. Holley. 1993. Functional architecture of the vomeronasal organ of the frog (genus *Rana*). *Acta Zoologica* 74: 173–180.
- 106** Dreanno, C., R. R. Kirby, and A. S. Clare. 2006. Smelly feet are not always a bad thing: the relationship between cyprid footprint protein and the barnacle settlement pheromone. *Biology Letters* 2: 423–425.
- 107** Dulac, C. and R. Axel. 1995. A novel family of genes encoding putative pheromone receptors in mammals. *Cell* 83: 195–206.

- 108** Dulac, C. and A. T. Torello. 2003. Molecular detection of pheromone signals in mammals: From genes to behaviour. *Nature Reviews Neuroscience* 4: 551–562.
- 109** Dulac, C. and S. Wagner. 2006. Genetic analysis of brain circuits underlying pheromone signaling. *Annual Review of Genetics* 40: 449–467.
- 110** Dulka, J. G., N. E. Stacey, P. W. Sorensen, and G. J. Vanderkraak. 1987. A steroid sex pheromone synchronizes male-female spawning readiness in goldfish. *Nature* 325: 251–253.
- 111** Dumbacher, J. P., B. M. Beehler, T. F. Spande, and H. M. Garraffo. 1992. Homobatrachotoxin in the genus *Pitohui* - chemical defense in birds. *Science* 258: 799–801.
- 112** Durand, N., G. Carot-Sans, T. Chertemps, N. Montagne, E. Jacquin-Joly, S. Debernard, and M. Maibeche-Coisne. 2010. A diversity of putative carboxylesterases are expressed in the antennae of the noctuid moth *Spodoptera littoralis*. *Insect Molecular Biology* 19: 87–97.
- 113** Dusenbery, D. B. 1989. Calculated effect of pulsed pheromone release on range of attraction. *Journal of Chemical Ecology* 15: 971–977.
- 114** Dusenbery, D. B. 1992. *Sensory Ecology*. New York: W. H. Freeman and Company.
- 115** Dusenbery, D. B. and T. W. Snell. 1995. A critical body size for use of pheromones in mate location. *Journal of Chemical Ecology* 21: 427–438.
- 116** Ebling, F. J. 1977. Hormonal control of mammalian skin glands. In *Chemical Signals in Vertebrates* (D. Müller-Schwarze and M. M. Mozell, eds.), pp. 17–33. New York: Plenum Press.
- 117** Eisner, T., I. Kriston, and D. J. Aneshansley. 1976. Defense mechanisms of arthropods .47. Defensive behavior of a termite (*Nasutitermes exitiosus*). *Behavioral Ecology and Sociobiology* 1: 83–125.
- 118** Eisner, T. and J. Meinwald. 1995. The chemistry of sexual selection. *Proceedings of the National Academy of Sciences of the United States of America* 92: 50–55.
- 119** Elkinton, J. S., R. T. Carde, and C. J. Mason. 1984. Evaluation of time-average dispersion models for estimating pheromone concentration in a deciduous forest. *Journal of Chemical Ecology* 10: 1081–1108.

- 120 Elsaesser, R. and J. Paysan. 2007. The sense of smell, its signalling pathways, and the dichotomy of cilia and microvilli in olfactory sensory cells. *BMC Neuroscience* 8: 13.
- 121 Eltz, T., D. W. Roubik, and M. W. Whitten. 2003. Fragrances, male display and mating behaviour of *Euglossa hemichlora*: a flight cage experiment. *Physiological Entomology* 28: 251–260.
- 122 Eltz, T., D. Roubik, and K. Lunau. 2005. Experience-dependent choices ensure species-specific fragrance accumulation in male orchid bees. *Behavioral Ecology and Sociobiology* 59: 149–156.
- 123 Eltz, T., A. Sager, and K. Lunau. 2005. Juggling with volatiles: exposure of perfumes by displaying male orchid bees. *Journal of Comparative Physiology A-Neuroethology Sensory Neural and Behavioral Physiology* 191: 575–581.
- 124 Endler, A., J. Liebig, T. Schmitt, J. E. Parker, G. R. Jones, P. Schreier, and B. Hölldobler. 2004. Surface hydrocarbons of queen eggs regulate worker reproduction in a social insect. *Proceedings of the National Academy of Sciences of the United States of America* 101: 2945–2950.
- 125 Endler, A., J. Liebig, and B. Hölldobler. 2006. Queen fertility, egg marking and colony size in the ant *Camponotus floridanus*. *Behavioral Ecology and Sociobiology* 59: 490–499.
- 126 Erickson, R. P. 2000. The evolution of neural coding ideas in the chemical senses. *Physiology and Behavior* 69: 3–13.
- 127 Evans, C. 2003. *Vomeranasa Chemoreception in Vertebrates: a Study of the Second Nose*. London: Imperial College Press.
- 128 Fares, Y., P. J. H. Sharpe, and C. E. Magnuson. 1980. Pheromone dispersion in forests. *Journal of Theoretical Biology* 84: 335–359.
- 129 Ferkin, M. H., E. S. Sorokin, M. W. Renfro, and R. E. Johnston. 1994. Attractiveness of male odors to females varies directly with plasma testosterone concentration in meadow voles. *Physiology and Behavior* 55: 347–353.
- 130 Ferkin, M. H. and R. E. Johnston. 1995. Meadow voles, *Microtus pennsylvanicus*, use multiple sources of scent for sex recognition. *Animal Behaviour* 49: 37–44.
- 131 Ferkin, M. H. and R. E. Johnston. 1995. Effects of pregnancy, lactation and postpartum estrus on odor signals and the attraction to odors in female meadow voles, *Microtus pennsylvanicus*. *Animal Behaviour* 49: 1211–1217.

- 132** Ferkin, M. H., E. S. Sorokin, and R. E. Johnston. 1996. Self-grooming as a sexually dimorphic communicative behaviour in meadow voles, *Microtus pennsylvanicus*. *Animal Behaviour* 51: 801–810.
- 133** Ferkin, M. H., E. S. Sorokin, R. E. Johnston, and C. J. Lee. 1997. Attractiveness of scents varies with protein content of the diet in meadow voles. *Animal Behaviour* 53: 133–141.
- 134** Filoramo, N. I. and K. Schwenk. 2009. The mechanism of chemical delivery to the vomeronasal organs in squamate reptiles: A comparative morphological approach. *Journal of Experimental Zoology Part A-Ecological Genetics and Physiology* 311A: 20–34.
- 135** Flood, P. 1985. Sources of significant smells: The skin and other organs. In *Social Odours in Mammals* (R. E. Brown and D. W. Macdonald, eds.), pp. 19–36. Oxford: Clarendon Press.
- 136** Flower, D. R., A. C. T. North, and C. E. Sansom. 2000. The lipocalin protein family: structural and sequence overview. *Biochimica Et Biophysica Acta-Protein Structure and Molecular Enzymology* 1482: 9–24.
- 137** Ford, N. B. and J. R. Low. 1984. Sex pheromone source location by garter snakes - a mechanism for detection of direction in nonvolatile trails. *Journal of Chemical Ecology* 10: 1193–1199.
- 138** Foster, S. P., M. O. Harris, and J. G. Millar. 1991. Identification of the sex pheromone of the hessian fly, *Mayetiola destructor* (Say). *Naturwissenschaften* 78: 130–131.
- 139** Fraenkel, G. S. and D. L. Gunn. 1961. *The Orientation of Animals: Kineses, Taxes and Compass Reactions*. Oxford: Oxford University Press.
- 140** Galizia, C. G. and W. Rossler. 2010. Parallel olfactory systems in insects: Anatomy and function. *Annual Review of Entomology* 55: 399–420.
- 141** Gautier, P. and C. Miaud. 2003. Faecal pellets used as an economic territorial marker in two terrestrial alpine salamanders. *Ecoscience* 10: 134–139.
- 142** Geiger, R. 1965. *The Climate Near the Ground*. Cambridge, MA: Harvard University Press.
- 143** Gemeno, C., J. Claramunt, and J. Dasca. 2005. Nocturnal calling behavior in mantids. *Journal of Insect Behavior* 18: 389–403.

- 144** Gerlach, G. 2006. Pheromonal regulation of reproductive success in female zebrafish: female suppression and male enhancement. *Animal Behaviour* 72: 1119–1124.
- 145** Gesase, A. P. and Y. Satoh. 2003. Apocrine secretory mechanism: Recent findings and unresolved problems. *Histology and Histopathology* 18: 597–608.
- 146** Gilg, A. B., J. C. Bearfield, C. Tittiger, W. H. Welch, and G. J. Blomquist. 2005. Isolation and functional expression of an animal geranyl diphosphate synthase and its role in bark beetle pheromone biosynthesis. *Proceedings of the National Academy of Sciences of the United States of America* 102: 9760–9765.
- 147** Goldman, J. A. and M. A. R. Koehl. 2001. Fluid dynamic design of lobster olfactory organs: High speed kinematic analysis of antennule flicking by *Panulirus argus*. *Chemical Senses* 26: 385–398.
- 148** Gosling, L. M. 1985. The even-toed ungulates: Order Artiodactyla. In *Social Odours in Mammals* (R. E. Brown and D. W. Macdonald, eds.), pp. 550–618. Oxford: Clarendon Press.
- 149** Gosling, L. M. and S. C. Roberts. 2001. Scent-marking by male mammals: Cheat-proof signals to competitors and mates. *Advances in the Study of Behavior* 30: 169–217.
- 150** Greenberg, L. 1979. Genetic component of bee odor in kin recognition. *Science* 206: 1095–1097.
- 151** Gustin, M. K. and G. F. McCracken. 1987. Scent recognition between females and pups in the bat *Tadarida brasiliensis Mexicana*. *Animal Behaviour* 35: 13–19.
- 152** Hagelin, J. C., I. L. Jones, and L. E. L. Rasmussen. 2003. A tangerine-scented social odour in a monogamous seabird. *Proceedings of the Royal Society of London Series B-Biological Sciences* 270: 1323–1329.
- 153** Hagelin, J. C. 2007. The citrus-like scent of crested auklets: reviewing the evidence for an avian olfactory ornament. *Journal of Ornithology* 148: S195–S201.
- 154** Hajjar, E., D. Perahia, H. Debat, C. Nespoulous, and C. H. Robert. 2006. Odorant binding and conformational dynamics in the odorant-binding protein. *Journal of Biological Chemistry* 281: 29929–29937.
- 155** Hall, G. M., C. Tittiger, G. L. Andrews, G. S. Mastick, M. Kuenzli, X. Luo, S. J. Seybold, and G. J. Blomquist. 2002. Midgut tissue of male pine engraver, *Ips pini*, synthesizes monoterpene pheromone component ipsdienol de novo. *Naturwissenschaften* 89: 79–83.

- 156** Hallem, E. A., M. G. Ho, and J. R. Carlson. 2004. The molecular basis of odor coding in the drosophila antenna. *Cell* 117: 965–979.
- 157** Hallem, E. A. and J. R. Carlson. 2006. Coding of odors by a receptor repertoire. *Cell* 125: 143–160.
- 158** Halpern, M. and A. Martinez-Marcos. 2003. Structure and function of the vomeronasal system: an update. *Progress in Neurobiology* 70: 245–318.
- 159** Halpin, Z. T. 1985. The rodents III: suborder Sciuromorpha. In *Social Odours in Mammals* (R. E. Brown and D. W. Macdonald, eds.), pp. 458–479. Oxford: Clarendon Press.
- 160** Hamdani, E. H. and K. B. Døving. 2006. Functional organization of the olfactory system in fish. In *Communication in Fishes* (F. Ladich, S. P. Collin, P. Moller, and B. G. Kapoor, eds.), pp. 223–257. Enfield (NH): Science Publishers.
- 161** Hanlon, R. T. and J. B. Messenger. 1996. *Cephalopod Behavior*. Cambridge: Cambridge University Press.
- 162** Hansen, A., K. T. Anderson, and T. E. Finger. 2004. Differential distribution of olfactory receptor neurons in goldfish: Structural and molecular correlates. *Journal of Comparative Neurology* 477: 347–359.
- 163** Hardege, J. D., C. T. Muller, M. Beckmann, D. B. Hardege, and M. G. Bentley. 1998. Timing of reproduction in marine polychaetes: The role of sex pheromones. *Ecoscience* 5: 395–404.
- 164** Hardege, J. D., H. Bartels-Hardege, C. T. Muller, and M. Beckmann. 2004. Peptide pheromones in female *Nereis succinea*. *Peptides* 25: 1517–1522.
- 165** Harvey, S., B. Jemiolo, and M. Novotny. 1989. Pattern of volatile compounds in dominant and subordinate male-mouse urine. *Journal of Chemical Ecology* 15: 2061–2072.
- 166** Hayes, R. A., B. J. Richardson, and S. G. Wyllie. 2003. To fix or not to fix: The role of 2-phenoxyethanol in rabbit, *Oryctolagus cuniculus*, chin gland secretion. *Journal of Chemical Ecology* 29: 1051–1064.
- 167** He, J., L. M. Ma, S. Kim, J. Nakai, and C. R. Yu. 2008. Encoding gender and individual information in the mouse vomeronasal organ. *Science* 320: 535–538.
- 168** Hee, A. K. W. and K. H. Tan. 2004. Male sex pheromonal components derived from methyl eugenol in the hemolymph of the fruit fly *Bactrocera papayae*. *Journal of Chemical Ecology* 30: 2127–2138.

- 169** Heise, S. R. and F. M. Rozenfeld. 1999. Reproduction and urine marking in laboratory groups of female common voles *Microtus arvalis*. *Journal of Chemical Ecology* 25: 1671–1685.
- 170** Hendriks, W. H., M. F. Tarttelin, and P. J. Moughan. 1995. 24 hour feline excretion patterns in entire and castrated cats. *Physiology and Behavior* 58: 467–469.
- 171** Hepper, P. G. and D. L. Wells. 2005. How many footsteps do dogs need to determine the direction of an odour trail? *Chemical Senses* 30: 291–298.
- 172** Herrada, G. and C. Dulac. 1997. A novel family of putative pheromone receptors in mammals with a topographically organized and sexually dimorphic distribution. *Cell* 90: 763–773.
- 173** Hight, S. D., S. Bloem, K. A. Bloem, and J. E. Carpenter. 2003. *Cactoblastis cactorum* (Lepidoptera : Pyralidae): Observations of courtship and mating behaviors at two locations on the Gulf Coast of Florida. *Florida Entomologist* 86: 400–408.
- 174** Hildebrand, J. G. and G. M. Shepherd. 1997. Mechanisms of olfactory discrimination: Converging evidence for common principles across phyla. *Annual Review of Neuroscience* 20: 595–631.
- 175** Hillier, N. K. and N. J. Vickers. 2007. Physiology and antennal lobe projections of olfactory receptor neurons from sexually isomorphic sensilla on male *Heliothis virescens*. *Journal of Comparative Physiology A-Neuroethology Sensory Neural and Behavioral Physiology* 193: 649–663.
- 176** Hölldobler, B. and J. M. Palmer. 1989. A new tarsal gland in ants and the possible role in chemical communication. *Naturwissenschaften* 76: 385–386.
- 177** Hölldobler, B. and E. O. Wilson. 1990. *The Ants*. Cambridge, MA: Harvard University Press.
- 178** Horne, E. A. and R. G. Jaeger. 1988. Territorial pheromones of female red-backed salamanders. *Ethology* 78: 143–152.
- 179** Howard, K. J., A. R. Smith, S. O'Donnell, and R. L. Jeanne. 2002. Novel method of swarm emigration by the epiponine wasp, *Apoica pallens* (Hymenoptera Vespidae). *Ethology Ecology and Evolution* 14: 365–371.
- 180** Howard, R. W. and G. J. Blomquist. 2005. Ecological, behavioral, and biochemical aspects of insect hydrocarbons. *Annual Review of Entomology* 50: 371–393.
- 181** Howe, N. R. and Y. M. Sheikh. 1975. Anthopleurine - Sea anemone alarm pheromone. *Science* 189: 386–388.

- 182** Huang, G. Z., J. J. Zhang, D. Wang, R. T. Mason, and M. Halpern. 2006. Female snake sex pheromone induces membrane responses in vomeronasal sensory neurons of male snakes. *Chemical Senses* 31: 521–529.
- 183** Hurst, J. L., D. H. L. Robertson, U. Tolladay, and R. J. Beynon. 1998. Proteins in urine scent marks of male house mice extend the longevity of olfactory signals. *Animal Behaviour* 55: 1289–1297.
- 184** Hurst, J. L., C. E. Payne, C. M. Nevison, A. D. Marie, R. E. Humphries, D. H. L. Robertson, A. Cavaggioni, and R. J. Beynon. 2001. Individual recognition in mice mediated by major urinary proteins. *Nature* 414: 631–634.
- 185** Hurst, J. L. and R. J. Beynon. 2004. Scent wars: the chemobiology of competitive signalling in mice. *Bioessays* 26: 1288–1298.
- 186** Hurst, J. L., M. D. Thom, C. M. Nevison, R. E. Humphries, and R. J. Beynon. 2005. MHC odours are not required or sufficient for recognition of individual scent owners. *Proceedings of the Royal Society B-Biological Sciences* 272: 715–724.
- 187** Hurst, J. L., M. D. Thom, S. A. Cheetham, S. D. Armstrong, D. H. Robertson, A. J. Davidson, P. Stockley, and R. J. Beynon. 2008. Scent signals of individual genetic identity used in mate choice. *Chemical Senses* 33: S173–S173.
- 188** Imai, T., H. Sakano, and L. B. Vosshall. 2010. Topographic mapping - the olfactory system. *Cold Spring Harbor Perspectives in Biology* 2: 18.
- 189** Iyengar, V. K. and T. Eisner. 1999. Female choice increases offspring fitness in an arctiid moth (*Utetheisa ornatrix*). *Proceedings of the National Academy of Sciences of the United States of America* 96: 15013–15016.
- 190** Jaeger, R. G. and C. R. Gabor. 1993. Intraspecific chemical communication by a territorial salamander via the postcloacal gland. *Copeia* 1171–1174.
- 191** Johnson, B. A., S. L. Ho, Z. Xu, J. S. Yihan, S. Yip, E. E. Hingco, and M. Leon. 2002. Functional mapping of the rat olfactory bulb using diverse odorants reveals modular responses to functional groups and hydrocarbon structural features. *Journal of Comparative Neurology* 449: 180–194.
- 192** Johnson, B. A. and M. Leon. 2007. Chemotopic odorant coding in a mammalian olfactory system. *Journal of Comparative Neurology* 503: 1–34.
- 193** Johnston, R. E. 2000. Chemical communication and pheromones: the types of signals and the role of the vomeronasal system. In *The Neurobiology of Taste and Smell, 2nd edition* (T. E. Finger, W. L. Silver, and D. Restrepo, eds.), pp. 99–123. New York: Wiley.

- 194** Johnston, R. E. 2008. Individual odors and social communication: Individual recognition, kin recognition, and scent over-marking. *Advances in the Study of Behavior* 38: 439–505.
- 195** Jolly, A. 1966. *Lemur Behavior*. Chicago: Chicago University Press.
- 196** Kaissling, K. E. 2009. Olfactory perireceptor and receptor events in moths: a kinetic model revised. *Journal of Comparative Physiology A-Neuroethology Sensory Neural and Behavioral Physiology* 195: 895–922.
- 197** Kajiyama, K., K. Inaki, M. Tanaka, T. Haga, H. Kataoka, and K. Touhara. 2001. Molecular bases of odor discrimination: Reconstitution of olfactory receptors that recognize overlapping sets of odorants. *Journal of Neuroscience* 21: 6018–6025.
- 198** Kan, E., T. Hidaka, T. Sato, and H. Kitajima. 2002. Copulation and male calling in the swift moth, *Endoclita excrescens* (Butler) (Lepidoptera : Hepialidae). *Applied Entomology and Zoology* 37: 163–169.
- 199** Kannan, S., K. R. Kumar, and G. Archunan. 1998. Sex attractants in male preputial gland: Chemical identification and their role in reproductive behaviour of rats. *Current Science* 74: 689–691.
- 200** Kanzaki, R., K. Soo, Y. Seki, and S. Wada. 2003. Projections to higher olfactory centers from subdivisions of the antennal lobe macroglomerular complex of the male silkworm. *Chemical Senses* 28: 113–130.
- 201** Karcher, M. H. and F. L. W. Ratnieks. 2010. Honey bee guards recognise allospecific intruders via "different odours" not "harmful-intruder odours". *Journal of Apicultural Research* 49: 270–277.
- 202** Katada, S., T. Hirokawa, Y. Oka, M. Suwa, and K. Touhara. 2005. Structural basis for a broad but selective ligand spectrum of a mouse olfactory receptor: Mapping the odorant-binding site. *Journal of Neuroscience* 25: 1806–1815.
- 203** Kaupp, U. B. 2010. Olfactory signalling in vertebrates and insects: differences and commonalities. *Nature Reviews Neuroscience* 11: 188–200.
- 204** Kennedy, J. S. 1986. Some current issues in orientation to odour sources. In *Mechanisms in Insect Olfaction* (T. L. Payne, M. C. Birch, and C. E. J. Kennedy, eds.), pp. 11–26. Cambridge: Cambridge University Press.
- 205** Kepecs, A., N. Uchida, and Z. F. Mainen. 2006. The sniff as a unit of olfactory processing. *Chemical Senses* 31: 167–179.

- 206** Keverne, E. B. 2008. Visualisation of the vomeronasal pheromone response system. *Bioessays* 30: 802–805.
- 207** Kikuta, S., H. Kashiwadani, and K. Mori. 2008. Compensatory rapid switching of binasal inputs in the olfactory cortex. *Journal of Neuroscience* 28: 11989–11997.
- 208** Kimoto, H., S. Haga, K. Sato, and K. Touhara. 2005. Sex-specific peptides from exocrine glands stimulate mouse vomeronasal sensory neurons. *Nature* 437: 898–901.
- 209** Kiørboe, T., E. Bagøien, and U. H. Thygesen. 2005. Blind dating - mate finding in planktonic copepods. II. The pheromone cloud of *Pseudocalanus elongatus*. *Marine Ecology-Progress Series* 300: 117–128.
- 210** Kobayakawa, K., R. Kobayakawa, H. Matsumoto, Y. Oka, T. Imai, M. Ikawa, M. Okabe, T. Ikeda, S. Itohara, T. Kikusui, K. Mori, and H. Sakano. 2007. Innate versus learned odour processing in the mouse olfactory bulb. *Nature* 450: 503–U5.
- 211** Koehl, M. A. R., J. R. Koseff, J. P. Crimaldi, M. G. McCay, T. Cooper, M. B. Wiley, and P. A. Moore. 2001. Lobster sniffing: Antennule design and hydrodynamic filtering of information in an odor plume. *Science* 294: 1948–1951.
- 212** Koehl, M. A. R. 2006. The fluid mechanics of arthropod sniffing in turbulent odor plumes. *Chemical Senses* 31: 93–105.
- 213** Kou, R. and Y. S. Chow. 1987. Calling behavior of the cotton bollworm, *Heliothis armigera* (Lepidoptera, Noctuidae). *Annals of the Entomological Society of America* 80: 490–493.
- 214** Krasnoff, S. B. and W. L. Roelofs. 1988. Sex-Pheromone released as an aerosol by the moth *Pyrarctia isabella*. *Nature* 333: 263–265.
- 215** Krasnoff, S. B. 1997. Evolution of male Lepidopteran pheromones: A phylogenetic perspective. In *Insect Pheromone Research: New Directions* (R. T. Cardé and A. K. Minks, eds.), pp. 490–513. New York: Chapman & Hall.
- 216** Krieger, J., E. Grosse-Wilde, T. Gohl, and H. Breer. 2005. Candidate pheromone receptors of the silkmoth *Bombyx mori*. *European Journal of Neuroscience* 21: 2167–2176.
- 217** Kuederling, I., C. S. Evans, D. H. Abbott, C. R. Pryce, and G. Eppe. 1995. Differential excretion of urinary estrogen by breeding females and daughters in the red-bellied tamarin (*Saguinus labiatus*). *Folia Primatologica* 64: 140–145.

- 218** Labra, A., C. A. Escobar, A. Ar, and H. M. Niemeyer. 2002. Sources of pheromones in the lizard *Liolaemus tenuis*. *Revista Chilena De Historia Natural* 75: 141–147.
- 219** Landolt, P. J. and T. W. Phillips. 1997. Host plant influences on sex pheromone behavior of phytophagous insects. *Annual Review of Entomology* 42: 371–391.
- 220** Laurent, G., M. Stopfer, R. W. Friedrich, M. I. Rabinovich, A. Volkovskii, and H. D. I. Abarbanel. 2001. Odor encoding as an active, dynamical process: Experiments, computation, and theory. *Annual Review of Neuroscience* 24: 263–297.
- 221** Lawson, R. E., R. J. Putman, and A. H. Fielding. 2000. Individual signatures in scent gland secretions of Eurasian deer. *Journal of Zoology* 251: 399–410.
- 222** Lee, S. G., N. J. Vickers, and T. C. Baker. 2006. Glomerular targets of *Heliothis subflexa* male olfactory receptor neurons housed within long trichoid sensilla. *Chemical Senses* 31: 821–834.
- 223** Leinders-Zufall, T., A. P. Lane, A. C. Puche, W. D. Ma, M. V. Novotny, M. T. Shipley, and F. Zufall. 2000. Ultrasensitive pheromone detection by mammalian vomeronasal neurons. *Nature* 405: 792–796.
- 224** Leon, M. and B. A. Johnson. 2003. Olfactory coding in the mammalian olfactory bulb. *Brain Research Reviews* 42: 23–32.
- 225** Li, W., J. A. Farrell, S. Pang, and R. M. Arrieta. 2006. Moth-inspired chemical plume tracing on an autonomous underwater vehicle. *Ieee Transactions on Robotics* 22: 292–307.
- 226** Liberles, S. D. and L. B. Buck. 2006. A second class of chemosensory receptors in the olfactory epithelium. *Nature* 442: 645–650.
- 227** Liebig, J., C. Peeters, N. J. Oldham, C. Markstadter, and B. Holldobler. 2000. Are variations in cuticular hydrocarbons of queens and workers a reliable signal of fertility in the ant *Harpegnathos saltator*? *Proceedings of the National Academy of Sciences of the United States of America* 97: 4124–4131.
- 228** Liman, E. R. 2006. Use it or lose it: molecular evolution of sensory signaling in primates. *Pflugers Archiv-European Journal of Physiology* 453: 125–131.
- 229** Lin, D. Y., S. Z. Zhang, E. Block, and L. C. Katz. 2005. Encoding social signals in the mouse main olfactory bulb. *Nature* 434: 470–477.

- 230** Linn, C. E. and W. L. Roelofs. 1995. Pheromone communication in moths and its role in the speciation process. In *Speciation and the Recognition Concept: Theory and Application* (D. M. Lambert and H. G. Spencer, eds.), pp. 263–300. Baltimore: Johns Hopkins University Press.
- 231** Linn, C. E. 1997. Neuroendocrine factors in the photoperiodic control of male moth responsiveness to pheromone. In *Insect Pheromone Research: New Directions* (R. T. Cardé and A. K. Minks, eds.), pp. 194–209. New York: Chapman & Hall.
- 232** Linsenmair, K. E. 1985. Individual and family recognition in subsocial arthropods, in particular in the desert isopod *Hemilepistus reaumuri*. *Fortschritte Der Zoologie* 31: 411–436.
- 233** Liu, C. H. and D. Y. C. Leung. 2006. Finite element solution to passive scalar transport behind line sources under neutral and unstable stratification. *International Journal for Numerical Methods in Fluids* 50: 623–648.
- 234** Lledo, P. M. and A. Saghatelian. 2005. Integrating new neurons into the adult olfactory bulb: joining the network, life-death decisions, and the effects of sensory experience. *Trends in Neurosciences* 28: 248–254.
- 235** Lomvardas, S., G. Barnea, D. J. Pisapia, M. Mendelsohn, J. Kirkland, and R. Axel. 2006. Interchromosomal interactions and olfactory receptor choice. *Cell* 126: 403–413.
- 236** Loseva, E., T. F. Yuan, and S. Karnup. 2009. Neurogliogenesis in the mature olfactory system: A possible protective role against infection and toxic dust. *Brain Research Reviews* 59: 374–387.
- 237** Loudon, C. and M. A. R. Koehl. 2000. Sniffing by a silkworm moth: Wing fanning enhances air penetration through and pheromone interception by antennae. *Journal of Experimental Biology* 203: 2977–2990.
- 238** Loughry, W. J. and G. F. McCracken. 1991. Factors influencing female-pup scent recognition in Mexican free-tailed bats. *Journal of Mammalogy* 72: 624–626.
- 239** Lucas, C., D. B. Pho, D. Fresneau, and J. M. Jallon. 2004. Hydrocarbon circulation and colonial signature in *Pachycondyla villosa*. *Journal of Insect Physiology* 50: 595–607.
- 240** Luo, M. M. 2004. Got milk? A pheromonal message for newborn rabbits. *Bioessays* 26: 6–9.
- 241** Lytridis, C., G. S. Virk, Y. Rebour, and E. E. Kadar. 2001. Odor-based navigational strategies for mobile agents. *Adaptive Behavior* 9: 171–187.

- 242** Ma, W. D., Z. S. Miao, and M. V. Novotny. 1998. Role of the adrenal gland and adrenal-mediated chemosignals in suppression of estrus in the house mouse: The Lee-Boot effect revisited. *Biology of Reproduction* 59: 1317–1320.
- 243** Ma, W. D., Z. S. Miao, and M. V. Novotny. 1999. Induction of estrus in grouped female mice (*Mus domesticus*) by synthetic analogues of preputial gland constituents. *Chemical Senses* 24: 289–293.
- 244** Mackay-Sim, A. and P. W. Kittel. 1991. On the lifespan of olfactory receptor neurons. *European Journal of Neuroscience* 3: 209–215.
- 245** Mafra-Neto, A. and R. T. Cardé. 1994. Fine-scale structure of pheromone plumes modulates upwind orientation of flying moths. *Nature* 369: 142–144.
- 246** Malnic, B., J. Hirono, T. Sato, and L. B. Buck. 1999. Combinatorial receptor codes for odors. *Cell* 96: 713–723.
- 247** Mandairon, N., A. Didier, and C. Linstér. 2008. Odor enrichment increases interneurons responsiveness in spatially defined regions of the olfactory bulb correlated with perception. *Neurobiology of Learning and Memory* 90: 178–184.
- 248** Manning, C. J., E. K. Wakeland, and W. K. Potts. 1992. Communal nesting patterns in mice implicate MHC genes in kin recognition. *Nature* 360: 581–583.
- 249** Mardon, J., S. M. Saunders, M. J. Anderson, C. Couchoux, and F. Bonadonna. 2010. Species, gender, and identity: Cracking petrels' sociochemical code. *Chemical Senses* 35: 309–321.
- 250** Martínez, D., O. Rochel, and E. Hugues. 2006. A biomimetic robot for tracking specific odors in turbulent plumes. *Autonomous Robots* 20: 185–195.
- 251** Martínez-Ricós, J., C. Agustín-Pavón, E. Lanuza, and F. Martínez-García. 2008. Role of the vomeronasal system in intersexual attraction in female mice. *Neuroscience* 153: 383–395.
- 252** Mason, R. T., H. M. Fales, T. H. Jones, L. K. Pannell, J. W. Chinn, and D. Crews. 1989. Sex pheromones in snakes. *Science* 245: 290–293.
- 253** Mason, R. T., T. H. Jones, H. M. Fales, L. K. Pannell, and D. Crews. 1990. Characterization, synthesis, and behavioral responses to sex attractiveness pheromones of red-sided garter snakes (*Thamnophis sirtalis parietalis*). *Journal of Chemical Ecology* 16: 2353–2369.
- 254** Mason, R. T. 1993. Chemical ecology of the red-sided garter snake, *Thamnophis sirtalis Parietalis*. *Brain Behavior and Evolution* 41: 261–268.

- 255** Masse, N. Y., G. C. Turner, and G. Jefferis. 2009. Olfactory Information Processing in *Drosophila*. *Current Biology* 19: R700–R713.
- 256** Matsumoto, H., K. Kobayakawa, R. Kobayakawa, T. Tashiro, K. Mori, and H. Sakano. 2010. Spatial arrangement of glomerular molecular-feature clusters in the odorant-receptor class domains of the mouse olfactory bulb. *Journal of Neurophysiology* 103: 3490–3500.
- 257** Matsumoto-Oda, A., R. Oda, Y. Hayashi, H. Murakami, N. Maeda, K. Kumazaki, K. Shimizu, and T. Matsuzawa. 2003. Vaginal fatty acids produced by chimpanzees during menstrual cycles. *Folia Primatologica* 74: 75–79.
- 258** Mazor, M. and E. Dunkelblum. 2005. Circadian rhythms of sexual behavior and pheromone titers of two closely related moth species *Autographa gamma* and *Cornutiplusia circumflexa*. *Journal of Chemical Ecology* 31: 2153–2168.
- 259** McCracken, G. F. and M. K. Gustin. 1987. Batmom's daily nightmare. *Natural History* 96: 66–73.
- 260** McNeil, J. N. and J. Delisle. 1989. Are host plants important in pheromone-mediated mating systems of Lepidoptera? *Experientia* 45: 236–240.
- 261** Meredith, M. 1994. Chronic recording of vomeronasal pump activation in awake behaving hamsters. *Physiology and Behavior* 56: 345–354.
- 262** Merx, J., A. K. Slob, and J. J. V. Tenbosch. 1988. Vaginal bacterial flora partially determines sexual attractiveness of female rats. *Physiology and Behavior* 44: 147–149.
- 263** Miller, J. R., J. L. Spencer, A. J. Lentz, J. E. Keller, E. D. Walker, and J. F. Leykam. 1994. Sex peptides - potentially important and useful regulators of insect reproduction. In *Natural and Engineered Pest Management Agents* (P. A. Hedin, J. J. Menn, and R. M. Hollingworth, eds.), pp. 189–209. Washington: American Chemical Society.
- 264** Mitchell, B. K., H. Itagaki, and M. P. Rivet. 1999. Peripheral and central structures involved in insect gustation. *Microscopy Research and Technique* 47: 401–415.
- 265** Mombaerts, P. 1999. Seven-transmembrane proteins as odorant and chemosensory receptors. *Science* 286: 707–711.
- 266** Moreno, M. M., C. Linster, O. Escanilla, J. Sacquet, A. Didier, and N. Mandairon. 2009. Olfactory perceptual learning requires adult neurogenesis. *Proceedings of the National Academy of Sciences of the United States of America* 106: 17980–17985.

- 267** Mori, K., Y. K. Takahashi, K. M. Igarashi, and M. Yamaguchi. 2006. Maps of odorant molecular features in the mammalian olfactory bulb. *Physiological Reviews* 86: 409–433.
- 268** Mozuraitis, R. and V. Buda. 2006. Pheromone release behaviour in females of *Phyllonorycter junoniella* (Z.) (Lepidoptera, Gracillariidae) under constant and cycling temperatures. *Journal of Insect Behavior* 19: 129–142.
- 269** Mucignat-Caretta, C., A. Cavaggioni, and A. Caretta. 2004. Male urinary chemosignals differentially affect aggressive behavior in male mice. *Journal of Chemical Ecology* 30: 777–791.
- 270** Müller-Schwarze, D. 1971. Pheromones in black-tailed deer (*Odocoileus hemionus columbianus*). *Animal Behaviour* 19: 141–152.
- 271** Müller-Schwarze, D., N. J. Volkman, and K. F. Zemanek. 1977. Osmetricchia - specialized hair in black-tailed deer. *Journal of Ultrastructure Research* 59: 223–230.
- 272** Müller-Schwarze, D., L. Kallquist, and T. Mossing. 1979. Social behavior and chemical communication in reindeer (*Rangifer t. tarandus* L). *Journal of Chemical Ecology* 5: 483–517.
- 273** Müller-Schwarze, D. 2006. *Chemical Ecology of Vertebrates*. Cambridge: Cambridge University Press.
- 274** Murlis, J. and C. D. Jones. 1981. Fine-scale structure of odor plumes in relation to insect orientation to distant pheromone and other attractant sources. *Physiological Entomology* 6: 71–86.
- 275** Murlis, J., J. S. Elkinton, and R. T. Carde. 1992. Odor plumes and how insects use them. *Annual Review of Entomology* 37: 505–532.
- 276** Murlis, J. 1997. Odor plumes and the signal they provide. In *Insect Pheromone Research: New Directions* (R. T. Carde and A. K. Minks, eds.), pp. 221–231. New York: Chapman and Hall.
- 277** Musich, J. A. and H. Rapoport. 1978. Synthesis of anthopleurine, alarm pheromone from *Anthopleura elegantissima*. *Journal of the American Chemical Society* 100: 4865–4872.
- 278** Nakagawa, T. and L. B. Vosshall. 2009. Controversy and consensus: noncanonical signaling mechanisms in the insect olfactory system. *Current Opinion in Neurobiology* 19: 284–292.

- 279** Neat, F. C., L. Locatello, and M. B. Rasotto. 2003. Reproductive morphology in relation to alternative male reproductive tactics in *Scartella cristata*. *Journal of Fish Biology* 62: 1381–1391.
- 280** Nieh, J. C., F. A. L. Contrera, R. R. Yoon, L. S. Barreto, and V. L. Imperatriz-Fonseca. 2004. Polarized short odor-trail recruitment communication by a stingless bee, *Trigona spinipes*. *Behavioral Ecology and Sociobiology* 56: 435–448.
- 281** Niimura, Y. and M. Nei. 2006. Evolutionary dynamics of olfactory and other chemosensory receptor genes in vertebrates. *Journal of Human Genetics* 51: 505–517.
- 282** Nishida, R., T. E. Shelly, and K. Y. Kaneshiro. 1997. Acquisition of female-attracting fragrance by males of Oriental fruit fly from a Hawaiian lei flower, *Fragrea berteriana*. *Journal of Chemical Ecology* 23: 2275–2285.
- 283** Nishida, R. 2002. Sequestration of defensive substances from plants by Lepidoptera. *Annual Review of Entomology* 47: 57–92.
- 284** Nishino, H., M. Nishikawa, F. Yokohari, and M. Mizunami. 2005. Dual, multilayered somatosensory maps formed by antennal tactile and contact chemosensory afferents in an insect brain. *Journal of Comparative Neurology* 493: 291–308.
- 285** Novotny, M. V., W. D. Ma, D. Wiesler, and L. Zidek. 1999. Positive identification of the puberty-accelerating pheromone of the house mouse: the volatile ligands associating with the major urinary protein. *Proceedings of the Royal Society of London Series B-Biological Sciences* 266: 2017–2022.
- 286** O'Donnell, R. P., N. B. Ford, R. Shine, and R. T. Mason. 2004. Male red-sided garter snakes, *Thamnophis sirtalis parietalis*, determine female mating status from pheromone trails. *Animal Behaviour* 68: 677–683.
- 287** Okubo, A. 1980. *Diffusion and ecological problems: mathematical models*. Berlin: Springer.
- 288** Olsen, K. H., R. Bjerselius, I. Mayer, and H. Kindahl. 2001. Both ovarian fluid and female urine increase sex steroid hormone levels in mature Atlantic salmon (*Salmo salar*) male parr. *Journal of Chemical Ecology* 27: 2337–2349.
- 289** Olsen, K. H., G. R. Sawisky, and N. E. Stacey. 2006. Endocrine and milt responses of male crucian carp (*Carassius carassius* L.) to periovulatory females under field conditions. *General and Comparative Endocrinology* 149: 294–302.

- 290** Ottway, D. S., S. J. Pankhurst, and J. S. Waterhouse. 2005. A possible function for female enurination in the mara, *Dolichotis patagonum*. In *Chemical Signals in Vertebrates, Vol. 10* (R. T. Mason, M. P. LeMaster, and D. Müller-Schwarze, eds.), pp. 89–92. New York: Springer Science+Business Media, Inc.
- 291** Ozaki, M., A. Wada-Katsumata, K. Fujikawa, M. Iwasaki, F. Yokohari, Y. Satoji, T. Nisimura, and R. Yamaoka. 2005. Ant nestmate and non-nestmate discrimination by a chemosensory sensillum. *Science* 309: 311–314.
- 292** Painter, S. D., B. Clough, D. B. G. Akalal, and G. T. Nagle. 1999. Attractin, a water-borne peptide pheromone in *Aplysia*. *Invertebrate Reproduction and Development* 36: 191–194.
- 293** Painter, S. D., S. F. Cummins, A. E. Nichols, D. B. G. Akalal, C. H. Schein, W. Braun, J. S. Smith, A. J. Susswein, M. Levy, P. de Boer, A. ter Maat, M. W. Miller, C. Scanlan, R. M. Milberg, J. V. Sweedler, and G. T. Nagle. 2004. Structural and functional analysis of *Aplysia attractins*, a family of water-borne protein pheromones with interspecific attractiveness. *Proceedings of the National Academy of Sciences of the United States of America* 101: 6929–6933.
- 294** Pasquill, F. 1962. *Atmospheric Diffusion*. London: D. van Nostrand.
- 295** Pearce, G. P., P. E. Hughes, and W. D. Booth. 1988. The involvement of boar submaxillary salivary gland secretions in boar-induced precocious puberty attainment in the gilt. *Animal Reproduction Science* 16: 125–134.
- 296** Pelosi, P. 2001. The role of perireceptor events in vertebrate olfaction. *Cellular and Molecular Life Sciences* 58: 503–509.
- 297** Penn, D. and W. Potts. 1998. How do major histocompatibility complex genes influence odor and mating preferences? *Advances in Immunology* 69: 411–436.
- 298** Penn, D. J. 2002. The scent of genetic compatibility: Sexual selection and the major histocompatibility complex. *Ethology* 108: 1–21.
- 299** Perez, B. 2005. Calling behaviour in the female praying mantis, *Hierodula patellifera*. *Physiological Entomology* 30: 42–47.
- 300** Perry, J. N. and C. Wall. 1985. Orientation of male pea moth, *Cydia nigricana*, to pheromone traps in a wheat crop. *Entomologia Experimentalis Et Applicata* 37: 161–167.
- 301** Phelan, M. M., L. McLean, D. M. Simpson, J. L. Hurst, R. J. Beynon, and L. Y. Lian. 2010. H-1, N-15 and C-13 resonance assignment of darcin, a mouse major urinary protein. *Biomolecular NMR Assignments* 4: 239–241.

- 302** Phelan, P. L. and T. C. Baker. 1987. Evolution of male pheromones in moths - Reproductive isolation through sexual selection. *Science* 235: 205–207.
- 303** Pinillos, M. L., A. I. Guijarro, M. J. Delgado, P. C. Hubbard, A. V. M. Canario, and A. P. Scott. 2002. Production, release and olfactory detection of sex steroids by the tench (*Tinca tinca* L.). *Fish Physiology and Biochemistry* 26: 197–210.
- 304** Poddar-Sarkar, M. 1996. The fixative lipid of tiger pheromone. *Journal of Lipid Mediators and Cell Signalling* 15: 89–101.
- 305** Poddar-Sarkar, M. and R. L. Brahmachary. 2004. Putative chemical signals of leopard. *Animal Biology* 54: 255–259.
- 306** Porter, T. A. and G. S. Wilkinson. 2001. Birth synchrony in greater spear-nosed bats (*Phyllostomus hastatus*). *Journal of Zoology* 253: 383–390.
- 307** Potts, W. K., C. J. Manning, and E. K. Wakeland. 1991. Mating patterns in seminatural populations of mice influenced By MHC genotype. *Nature* 352: 619–621.
- 308** Prestwich, G. D. 1984. Defense mechanisms of termites. *Annual Review of Entomology* 29: 201–232.
- 309** Quay, W. B. 1977. Structure and function of skin glands. In *Chemical Signals in Vertebrates* (D. Müller-Schwarze and M. M. Mozell, eds.), pp. 10–16. New York: Plenum Press.
- 310** Quay, W. B. 1986. Scent glands. In *Biology of the Integument, Vol. 2. Vertebrates* (J. Bereiter-Hahn, A. G. Matoltsy, and K. S. Richards, eds.), pp. 357–373. Berlin: Springer.
- 311** Quenedey, A. 1998. Insect epidermal gland cells: ultrastructure and morphogenesis. In *Microscopic Anatomy of Invertebrates, Vol. 11A. Insecta* (F. W. Harrison and M. Locke, eds.), pp. 177–207. New York: Wiley-Liss.
- 312** Rajan, R., J. P. Clement, and U. S. Bhalla. 2006. Rats smell in stereo. *Science* 311: 666–670.
- 313** Ram, J. L., C. T. Muller, M. Beckmann, and J. D. Hardege. 1999. The spawning pheromone cysteine-glutathione disulfide ('nereithione') arouses a multicomponent nuptial behavior and electrophysiological activity in *Nereis succinea* males. *Faseb Journal* 13: 945–952.
- 314** Ramaswamy, S. B. 1997. Pheromonotropism in insects: molecules to molecular biology. In *Insect Pheromone Research: New Directions* (R. T. Cardé and A. K. Minks, eds.), pp. 101–110. New York: Chapman & Hall.

- 315** Rasmussen, L. E. L., T. D. Lee, W. L. Roelofs, A. J. Zhang, and G. D. Daves. 1996. Insect pheromone in elephants. *Nature* 379: 684–684.
- 316** Rasmussen, L. E. L., J. Lazar, and D. R. Greenwood. 2003. Olfactory adventures of elephantine pheromones. *Biochemical Society Transactions* 31: 137–141.
- 317** Reddy, G. V. P. and A. Guerrero. 2004. Interactions of insect pheromones and plant semiochemicals. *Trends in Plant Science* 9: 253–261.
- 318** Regnier, F. E. and M. Goodwin. 1977. On the chemical and environmental modulation of pheromone release from vertebrate scent marks. In *Chemical Signals in Vertebrates* (D. Müller-Schwarze and M. M. Mozell, eds.), pp. 115–133. New York: Plenum Press.
- 319** Reisert, J. and D. Restrepo. 2009. Molecular tuning of odorant receptors and its implication for odor signal processing. *Chemical Senses* 34: 535–545.
- 320** Restrepo, D., W. H. Lin, E. Salcedo, K. Yarnazaki, and G. Beauchamp. 2006. Odortypes and MHC peptides: complementary chemosignals of MHC haplotype? *Trends in Neurosciences* 29: 604–609.
- 321** Rø, H., D. Müller, and H. Mustaparta. 2007. Anatomical organization of antennal lobe projection neurons in the moth *Heliothis virescens*. *Journal of Comparative Neurology* 500: 658–675.
- 322** Roberts, S. A., D. M. Simpson, S. D. Armstrong, A. J. Davidson, D. H. Robertson, L. McLean, R. J. Beynon, and J. L. Hurst. 2010. Darcin: a male pheromone that stimulates female memory and sexual attraction to an individual male's odour. *Bmc Biology* 8: 21.
- 323** Robertson, D., J. Hurst, S. Hubbard, S. J. Gaskell, and R. Beynon. 1998. Ligands of urinary lipocalins from the mouse: Uptake of environmentally derived chemicals. *Journal of Chemical Ecology* 24: 1127–1140.
- 324** Robertson, D. H. L., A. D. Marie, C. Veggerby, J. L. Hurst, and R. J. Beynon. 2001. Characteristics of ligand binding and release by major urinary proteins. In *Chemical Signals in Vertebrates* (E. Marchlewska-Koj, D. Müller-Schwarze, and J. Lepri, eds.), pp. 169–176. New York: Plenum Press.
- 325** Roelofs, W. L. 1995. Chemistry of sex attraction. *Proceedings of the National Academy of Sciences of the United States of America* 92: 44–49.
- 326** Roelofs, W. L., W. T. Liu, G. X. Hao, H. M. Jiao, A. P. Rooney, and C. E. Linn. 2002. Evolution of moth sex pheromones via ancestral genes. *Proceedings of the National Academy of Sciences of the United States of America* 99: 13621–13626.

- 327** Roper, T. J. 1999. Olfaction in birds. *Advances in the Study of Behavior* 28: 247–332.
- 328** Rosell, F. and L. J. Sundsdal. 2001. Odorant source used in Eurasian beaver territory marking. *Journal of Chemical Ecology* 27: 2471–2491.
- 329** Ruth, P., H. Schmidtberg, B. Westermann, and R. Schipp. 2002. The sensory epithelium of the tentacles and the rhinophore of *Nautilus pompilius* L. (Cephalopoda, Nautiloidea). *Journal of Morphology* 251: 239–255.
- 330** Said, I., C. Gaertner, M. Renou, and C. Rivault. 2005. Perception of cuticular hydrocarbons by the olfactory organs in *Periplaneta americana* (L.) (Insecta : Dictyoptera). *Journal of Insect Physiology* 51: 1384–1389.
- 331** Saito, H., Q. Y. Chi, H. Y. Zhuang, H. Matsunami, and J. D. Mainland. 2009. Odor Coding by a Mammalian Receptor Repertoire. *Science Signaling* 2: 14.
- 332** Schaal, B., G. Coureaud, D. Langlois, C. Ginies, E. Semon, and G. Perrier. 2003. Chemical and behavioural characterization of the rabbit mammary pheromone. *Nature* 424: 68–72.
- 333** Schal, C., V. L. Sevala, H. P. Young, and J. A. S. Bachmann. 1998. Sites of synthesis and transport pathways of insect hydrocarbons: Cuticle and ovary as target tissues. *American Zoologist* 38: 382–393.
- 334** Schemske, D. W. and R. Lande. 1984. Fragrance collection and territorial display by male orchid bees. *Animal Behaviour* 32: 935–937.
- 335** Schlamp, K. K., K. Brown, R. Gries, M. Hart, G. Gries, and G. G. R. Judd. 2006. Diel periodicity of sexual communication in *Anarsia lineatella* (Lepidoptera: Gelechiidae). *Canadian Entomologist* 138: 384–389.
- 336** Schneider, D. 1964. Insect antennae. *Annual Review of Entomology* 9: 103–122.
- 337** Schulte, B. A. 1998. Scent marking and responses to male castor fluid by beavers. *Journal of Mammalogy* 79: 191–203.
- 338** Schwenk, K. 1994. Why snakes have forked tongues. *Science* 263: 1573–1577.
- 339** Seki, Y., H. Aonuma, and R. Kanzaki. 2005. Pheromone processing center in the protocerebrum of *Bombyx mori* revealed by nitric oxide-induced anti-cGMP immunocytochemistry. *Journal of Comparative Neurology* 481: 340–351.

- 340** Serizawa, S., K. Miyamichi, H. Nakatani, M. Suzuki, M. Saito, Y. Yoshihara, and H. Sakano. 2003. Negative feedback regulation ensures the one receptor-one olfactory neuron rule in mouse. *Science* 302: 2088–2094.
- 341** Settles, G., D. Kester, and L. Dodson-Dreibelbis. 2003. The external aerodynamics of sniffing. In *Sensors and Sensing in Biology and Engineering* (F. Barth, J. Humphrey, and T. Secomb, eds.), pp. 323–355. New York: Springer.
- 342** Seybold, S. J., D. R. Quilici, J. A. Tillman, D. Vanderwel, D. L. Wood, and G. J. Blomquist. 1995. De-novo biosynthesis of the aggregation pheromone components ipsenol and ipsdienol by the pine bark beetles *Ips paraconfusus* (Lanier) and *Ips pini* (Say) (Coleoptera-Scolytidae). *Proceedings of the National Academy of Sciences of the United States of America* 92: 8393–8397.
- 343** Seybold, S. J. and C. Tittiger. 2003. Biochemistry and molecular biology of De Novo Isoprenoid pheromone production in the Scolytidae. *Annual Review of Entomology* 48: 425–453.
- 344** Shaheen, N., K. Patel, P. Patel, M. Moore, and M. A. Harrington. 2005. A predatory snail distinguishes between conspecific and heterospecific snails and trails based on chemical cues in slime. *Animal Behaviour* 70: 1067–1077.
- 345** Shanas, U., I. Gozlan, U. Murawski, and J. Terkel. 1998. Identification of main lipid components of mole rat Harderian gland. *Journal of Chemical Ecology* 24: 2181–2193.
- 346** Shepherd, G. M., W. R. Chen, D. Willhite, M. Migliore, and C. A. Greer. 2007. The olfactory granule cell: From classical enigma to central role in olfactory processing. *Brain Research Reviews* 55: 373–382.
- 347** Shine, R., B. Phillips, H. Wayne, M. LeMaster, and R. T. Mason. 2003. Chemosensory cues allow courting male garter snakes to assess body length and body condition of potential mates. *Behavioral Ecology and Sociobiology* 54: 162–166.
- 348** Smid, H. M. 1997. Chemical mate guarding and oviposition stimulation in insects: a model mechanism alternative to the *Drosophila* sex-peptide paradigm. *Proceedings of the Koninklijke Nederlandse Akademie Van Wetenschappen* 100: 269–278.
- 349** Sorensen, P. W., T. J. Hara, and N. E. Stacey. 1987. Extreme olfactory sensitivity of mature and gonadally-regressed goldfish to a potent steroidal pheromone, 17- α ,20- β -dihydroxy-4-pregnen-3-one. *Journal of Comparative Physiology A-Sensory Neural and Behavioral Physiology* 160: 305–313.

- 350** Sorensen, P. W. 1992. Hormonally derived sex pheromones in goldfish - a model for understanding the evolution of sex pheromone systems in fish. *Biological Bulletin* 183: 173–177.
- 351** Sorensen, P. W. and A. P. Scott. 1994. The evolution of hormonal sex pheromones in teleost fish - poor correlation between the pattern of steroid release by goldfish and olfactory sensitivity suggests that these cues evolved as a result of chemical spying rather than signal specialization. *Acta Physiologica Scandinavica* 152: 191–205.
- 352** Sorensen, P. W., A. P. Scott, N. E. Stacey, and L. Bowdin. 1995. Sulfated 17,20-beta-dihydroxy-4-pregnen-3-one functions as a potent and specific olfactory stimulant with pheromonal actions in the goldfish. *General and Comparative Endocrinology* 100: 128–142.
- 353** Sorensen, P. W. and N. E. Stacey. 1997. Evolution and specialization of fish hormonal pheromones. In *Advances in Chemical Signals in Vertebrates* (R. E. Johnston, D. Müller-Schwarze, and P. W. Sorensen, eds.), pp. 15–48. New York: Kluwer Academic/Plenum Publishers.
- 354** Sorensen, P. W., C. A. Murphy, K. Loomis, P. Maniak, and P. Thomas. 2004. Evidence that 4-pregnen-17,20 beta,21-triol-3-one functions as a maturation-inducing hormone and pheromonal precursor in the percid fish, *Gymnocephalus cernuus*. *General and Comparative Endocrinology* 139: 1–11.
- 355** Soucy, E. R., D. F. Albeanu, A. L. Fantana, V. N. Murthy, and M. Meister. 2009. Precision and diversity in an odor map on the olfactory bulb. *Nature Neuroscience* 12: 210–220.
- 356** Spehr, M., K. R. Kelliher, X. H. Li, T. Boehm, T. Leinders-Zufall, and F. Zufall. 2006. Essential role of the main olfactory system in social recognition of major histocompatibility complex peptide ligands. *Journal of Neuroscience* 26: 1961–1970.
- 357** Spehr, M. and S. D. Munger. 2009. Olfactory receptors: G protein-coupled receptors and beyond. *Journal of Neurochemistry* 109: 1570–1583.
- 358** Stebbins, R. C. 1966. *A Field Guide to Western Reptiles and Amphibians*. Boston: Houghton Mifflin.
- 359** Steck, K., M. Knaden, and B. S. Hansson. 2010. Do desert ants smell the scenery in stereo? *Animal Behaviour* 79: 939–945.
- 360** Stewart, P. D., D. W. Macdonald, C. Newman, and C. L. Cheeseman. 2001. Boundary faeces and matched advertisement in the European badger (*Meles meles*): a potential role in range exclusion. *Journal of Zoology* 255: 191–198.

- 361** Stoddart, D. M. 1979. External nares and olfactory perception. *Experientia* 35: 1456–1457.
- 362** Stoddart, D. M. 1980. *The Ecology of Vertebrate Olfaction*. London: Chapman and Hall.
- 363** Stopfer, M., V. Jayaraman, and G. Laurent. 2003. Intensity versus identity coding in an olfactory system. *Neuron* 39: 991–1004.
- 364** Su, C. Y., K. Menuz, and J. R. Carlson. 2009. Olfactory Perception: Receptors, Cells, and Circuits. *Cell* 139: 45–59.
- 365** Sulz, L. and J. Bacigalupo. 2006. Role of nitric oxide during neurogenesis in the olfactory epithelium. *Biological Research* 39: 589–599.
- 366** Sutton, O. G. 1953. *Micrometeorology*. New York: McGraw Hill.
- 367** Suzuki, Y., M. Takeda, N. Obara, N. Suzuki, and N. Takeichi. 2000. Olfactory epithelium consisting of supporting cells and horizontal basal cells in the posterior nasal cavity of mice. *Cell and Tissue Research* 299: 313–325.
- 368** Takahashi, Y. K., M. Kurosaki, S. Hirono, and K. Mori. 2004. Topographic representation of odorant molecular features in the rat olfactory bulb. *Journal of Neurophysiology* 92: 2413–2427.
- 369** Tennekes, H. and J. L. Lumley. 1972. *A First Course in Turbulence*. Cambridge, MA: MIT Press.
- 370** Thesen, A., J. B. Steen, and K. B. Døving. 1993. Behavior of dogs during olfactory tracking. *Journal of Experimental Biology* 180: 247–251.
- 371** Thiessen, D. D. and M. Pendergrass. 1985. Change of pelage lipids in the Mongolian gerbil, *Meriones unguiculatus*, as the result of autogrooming and sandliving. *Journal of Mammalogy* 66: 469–475.
- 372** Thornton-Manning, J. R. and A. R. Dahl. 1997. Metabolic capacity of nasal tissue interspecies comparisons of xenobiotic-metabolizing enzymes. *Mutation Research-Fundamental and Molecular Mechanisms of Mutagenesis* 380: 43–59.
- 373** Tirindelli, R., M. Dibattista, S. Pifferi, and A. Menini. 2009. From Pheromones to Behavior. *Physiological Reviews* 89: 921–956.
- 374** Touhara, K. 2002. Odor discrimination by G protein-coupled olfactory receptors. *Microscopy Research and Technique* 58: 135–141.

- 375** Touhara, K. 2008. Sexual communication via peptide and protein pheromones. *Current Opinion in Pharmacology* 8: 759–764.
- 376** Touhara, K. and L. B. Vosshall. 2009. Sensing odorants and pheromones with chemosensory receptors. *Annual Review of Physiology* 71: 307–332.
- 377** Troemel, E. R., J. H. Chou, N. D. Dwyer, H. A. Colbert, and C. I. Bargmann. 1995. Divergent seven transmembrane receptors are candidate chemosensory receptors in *C. elegans*. *Cell* 83: 207–218.
- 378** Twan, W. H., J. S. Hwang, Y. H. Lee, H. F. Wu, Y. H. Tung, and C. F. Chang. 2006. Hormones and reproduction in scleractinian corals. *Comparative Biochemistry and Physiology A - Molecular and Integrative Physiology* 144: 247–253.
- 379** Vahed, K. 2006. Larger ejaculate volumes are associated with a lower degree of polyandry across bushcricket taxa. *Proceedings of the Royal Society B-Biological Sciences* 273: 2387–2394.
- 380** van Wilgenburg, E., R. Sulc, K. J. Shea, and N. D. Tsutsui. 2010. Deciphering the chemical basis of nestmate recognition. *Journal of Chemical Ecology* 36: 751–758.
- 381** Vander Wall, S. B. 1998. Foraging success of granivorous rodents: Effects of variation in seed and soil water on olfaction. *Ecology* 79: 233–241.
- 382** Vander Wall, S. B. 2000. The influence of environmental conditions on cache recovery and cache pilferage by yellow pine chipmunks (*Tamias amoenus*) and deer mice (*Peromyscus maniculatus*). *Behavioral Ecology* 11: 544–549.
- 383** Vergassola, M., E. Villermaux, and B. I. Shraiman. 2007. 'Infotaxis' as a strategy for searching without gradients. *Nature* 445: 406–409.
- 384** Vickers, N. J. 1999. The effects of chemical and physical features of pheromone plumes upon the behavioral responses of moths. In *Advances in Chemical Signals in Vertebrates* (R. E. Johnston, D. Müller-Schwarze, and P. W. Sorensen, eds.), pp. 63–76. New York: Kluwer Academic Publishers/Plenum Press.
- 385** Vickers, N. J. 2000. Mechanisms of animal navigation in odor plumes. *Biological Bulletin* 198: 203–212.
- 386** Vickers, N. J. 2002. Defining a synthetic pheromone blend attractive to male *Heliothis subflexa* under wind tunnel conditions. *Journal of Chemical Ecology* 28: 1255–1267.
- 387** Vickers, N. J. 2006. Winging it: Moth flight behavior and responses of olfactory neurons are shaped by pheromone plume dynamics. *Chemical Senses* 31: 155–166.

- 388** Vogt, R. G., L. M. Riddiford, and G. D. Prestwich. 1985. Kinetic properties of a sex pheromone degrading enzyme - the sensillar esterase of *Antheraea polyphemus*. *Proceedings of the National Academy of Sciences of the United States of America* 82: 8827–8831.
- 389** Voigt, C. C. and O. von Helversen. 1999. Storage and display of odour by male *Saccopteryx bilineata* (Chiroptera, Emballonuridae). *Behavioral Ecology and Sociobiology* 47: 29–40.
- 390** Voigt, C. C., B. Caspers, and S. Speck. 2005. Bats, bacteria, and bat smell: Sex-specific diversity of microbes in a sexually selected scent organ. *Journal of Mammalogy* 86: 745–749.
- 391** von Bekeesy, G. 1964. Olfactory analogue to directional hearing. *Journal of Applied Physiology* 19: 369–373.
- 392** Vosshall, L. B., H. Amrein, P. S. Morozov, A. Rzhetsky, and R. Axel. 1999. A spatial map of olfactory receptor expression in the *Drosophila* antenna. *Cell* 96: 725–736.
- 393** Wagner, D. L. and J. Rosovsky. 1991. Mating systems in primitive Lepidoptera, with emphasis on the reproductive behavior of *Korscheltellus gracilis* (Hepialidae). *Zoological Journal of the Linnean Society* 102: 277–303.
- 394** Walro, J. M. and G. E. Svendsen. 1982. Casator sacs and anal glands of the North American beaver (*Castor canadensis*) - their histology, development, and relationship to scent communication. *Journal of Chemical Ecology* 8: 809–819.
- 395** Watson, G. J., M. G. Bentley, S. M. Gaudron, and J. D. Hardege. 2003. The role of chemical signals in the spawning induction of polychaete worms and other marine invertebrates. *Journal of Experimental Marine Biology and Ecology* 294: 169–187.
- 396** Webster, D. R. and M. J. Weissburg. 2001. Chemosensory guidance cues in a turbulent chemical odor plume. *Limnology and Oceanography* 46: 1034–1047.
- 397** Wee, S. L., K. H. Tan, and R. Nishida. 2007. Pharmacophagy of methyl eugenol by males enhances sexual selection of *Bactrocera carambolae*. *Journal of Chemical Ecology* 33: 1272–1282.
- 398** Weissburg, M. J. and R. K. Zimmerfaust. 1994. Odor plumes and how blue crabs use them in finding prey. *Journal of Experimental Biology* 197: 349–375.

- 399** Weissburg, M. J. 1997. Chemo- and mechanosensory orientation by crustaceans in laminar and turbulent flows: from odor trails to vortex sheets. *In Orientation and Communication in Arthropods* (M. Lehrer, ed.), pp. 216–246. Basel: Birkhäuser Verlag.
- 400** Weissburg, M. J., M. H. Doall, and J. Yen. 1998. Following the invisible trail: kinematic analysis of mate-tracking in the copepod *Temora longicornis*. *Philosophical Transactions of the Royal Society of London Series B-Biological Sciences* 353: 701–712.
- 401** Weissburg, M. J. 2000. The fluid dynamical context of chemosensory behavior. *Biological Bulletin* 198: 188–202.
- 402** Weldon, P. J. 2004. Defensive anointing: extended chemical phenotype and unorthodox ecology. *Chemoecology* 14: 1–4.
- 403** Wells, M. J. and S. K. L. Buckley. 1972. Snails and trails. *Animal Behaviour* 20: 345–355.
- 404** Wesson, D. W., T. N. Donahou, M. O. Johnson, and M. Wachowiak. 2008. Sniffing behavior of mice during performance in odor-guided tasks. *Chemical Senses* 33: 581–596.
- 405** Wesson, D. W., J. V. Verhagen, and M. Wachowiak. 2009. Why sniff fast? The relationship between sniff frequency, odor discrimination, and receptor neuron activation in the rat. *Journal of Neurophysiology* 101: 1089–1102.
- 406** Wheeler, J. W. 1977. Properties of compounds used as chemical signals. In *Chemical Signals in Vertebrates* (D. Müller-Schwarze and M. M. Mozell, eds.), pp. 61–70. New York: Plenum Press.
- 407** White, P. J., T. J. Kreeger, J. R. Tester, and U. S. Seal. 1989. Anal-sac secretions deposited with feces by captive red foxes (*Vulpes vulpes*). *Journal of Mammalogy* 70: 814–816.
- 408** Whittle, C. L., R. T. Bowyer, T. P. Clausen, and L. K. Duffy. 2000. Putative pheromones in urine of rutting male moose (*Alces alces*): Evolution of honest advertisement? *Journal of Chemical Ecology* 26: 2747–2762.
- 409** Wilson, D. A. and R. M. Sullivan. 1999. Respiratory airflow pattern at the rat's snout and an hypothesis regarding its role in olfaction. *Physiology and Behavior* 66: 41–44.
- 410** Wilson, E. O. and W. H. Bossert. 1963. Chemical communication among animals. *Recent Progress in Hormone Research* 19: 673–716.

- 411** Wilson, E. O. 1970. Chemical communication within animal species. In *Chemical Ecology* (E. Sondheimer and J. B. Simeone, eds.), pp. 133–155. New York: Academic Press.
- 412** Wilson, E. O. 1971. *The Insect Societies*. Cambridge, MA: Harvard University Press.
- 413** Wistrand, M., L. Kall, and E. L. L. Sonnhammer. 2006. A general model of G protein-coupled receptor sequences and its application to detect remote homologs. *Protein Science* 15: 509–521.
- 414** Wood, W. F. 1999. 2-Methylcarboxylic acids in the interdigital glands of whitetail deer, *Odocoileus virginianus dacotensis*. *Biochemical Systematics and Ecology* 27: 93–95.
- 415** Wood, W. F., B. G. Sollers, G. A. Dragoo, and J. W. Dragoo. 2002. Volatile components in defensive spray of the hooded skunk, *Mephitis macroura*. *Journal of Chemical Ecology* 28: 1865–1870.
- 416** Wyatt, T. D. 2003. *Pheromones and Animal Behaviour*. Cambridge: Cambridge University Press.
- 417** Wyatt, T. D. 2009. Fifty years of pheromones. *Nature* 457: 262–263.
- 418** Yamamoto, K., Y. Kawai, T. Hayashi, Y. Ohe, H. Hayashi, F. Toyoda, G. Kawahara, T. Iwata, and S. Kikuyama. 2000. Silefrin, a sodefrin-like pheromone in the abdominal gland of the sword-tailed newt, *Cynops ensicauda*. *Febs Letters* 472: 267–270.
- 419** Yamazaki, K., E. A. Boyse, V. Mike, H. T. Thaler, B. J. Mathieson, J. Abbott, J. Boyse, Z. A. Zayas, and L. Thomas. 1976. Control of mating preferences in mice by genes in major histocompatibility complex. *Journal of Experimental Medicine* 144: 1324–1335.
- 420** Yamazaki, K., M. Yamaguchi, L. Baranoski, J. Bard, E. A. Boyse, and L. Thomas. 1979. Recognition among mice - Evidence from the use of a Y-maze differentially scented by congenic mice of different major histocompatibility types. *Journal of Experimental Medicine* 150: 755–760.
- 421** Yamazaki, K., G. K. Beauchamp, M. Curran, J. Bard, and E. A. Boyse. 2000. Parent-progeny recognition as a function of MHC odortype identity. *Proceedings of the National Academy of Sciences of the United States of America* 97: 10500–10502.

- 422** Yokoi, M., K. Mori, and S. Nakanishi. 1995. Refinement of odor molecule tuning by dendrodendritic synaptic inhibition in the olfactory bulb. *Proceedings of the National Academy of Sciences of the United States of America* 92: 3371–3375.
- 423** Yuan, T. F. 2010. Smell with new neurons. *Cell and Tissue Research* 340: 211–214.
- 424** Zala, S. M., W. K. Potts, and D. J. Penn. 2004. Scent-marking displays provide honest signals of health and infection. *Behavioral Ecology* 15: 338–344.
- 425** Zarzo, M. 2007. The sense of smell: molecular basis of odorant recognition. *Biological Reviews* 82: 455–479.
- 426** Zeeck, E., J. Hardege, H. Bartelshardege, and G. Wesselmann. 1988. Sex pheromone in a marine polychaete - determination of the chemical structure. *Journal of Experimental Zoology* 246: 285–292.
- 427** Zeeck, E., T. Harder, M. Beckmann, and C. T. Muller. 1996. Marine gamete-release pheromones. *Nature* 382: 214–214.
- 428** Zhang, J. X., Y. J. Liu, J. H. Zhang, and L. X. Sun. 2008. Dual role of preputial gland secretion and its major components in sex recognition of mice. *Physiology and Behavior* 95: 388–394.
- 429** Zhang, J. X., W. Wei, J. H. Zhang, and W. H. Yang. 2010. Uropygial gland-secreted alkanols contribute to olfactory sex signals in budgerigars. *Chemical Senses* 35: 375–382.
- 430** Zhao, X. C. and B. G. Berg. 2010. Arrangement of output information from the 3 macroglomerular units in the heliothine moth *Helicoverpa assulta*: Morphological and physiological features of male-specific projection neurons. *Chemical Senses* 35: 511–521.
- 431** Zimmermann, Y., D. W. Roubik, and T. Eltz. 2006. Species-specific attraction to pheromonal analogues in orchid bees. *Behavioral Ecology and Sociobiology* 60: 833–843.
- 432** Zimmermann, Y., D. W. Roubik, J. J. G. Quezada-Euan, R. J. Paxton, and T. Eltz. 2009. Single mating in orchid bees (Euglossa, Apinae): implications for mate choice and social evolution. *Insectes Sociaux* 56: 241–249.